#### **SECTION 1- PRODUCT IDENTIFICATION**

PRODUCT NAME:.....HYDRA-CLEAN

**SYNONYMS:** ......Product is a mixture: No synonyms are available.

PRODUCT USE:..... Moderately Alkaline Material

SUPPLIER: ..... HYDRAMASTER CORP.

**EMERGENCY RESPONSE NUMBER:** PERS: 1-800-633-8253

#### **SECTION 2 – HAZARD IDENTIFICATION**

GHS PRODUCT CLASSIFICATION: ... Skin corrosion/irritation Category 3

Serious eye damage/eye irritation Category 2B.

SIGNAL WORD: ..... WARNING

**GHS HEALTH HAZARD STATEMENT:** H303: May be harmful if swallowed.

H316: May cause mild skin irritation.

H320: Causes eye irritation.

GHS LABEL ELEMENTS:.....The product is classified and labeled according to the Globally Harmonized System

(GHS).

P102: Keep out of reach of children.

P103: Read label before use.

P264: Wash skin and contaminated clothing thoroughly after handling.

P270: Do not eat, drink or smoke when using this product. P281: Use personal protective equipment as required.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362: Take off contaminated clothing.

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations.

CLASSIFICATION SYSTEM: ...... NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA ratings (scale 0-4): ..... Health = 1, Fire = 0, Reactivity = 0

**HMIS ratings (scale 0-5): .....** Health = 1, Fire = 0, Reactivity = 0

## **SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS**

Chemical characterization:..... Mixtures

**Description:** Mixture of the substances listed below with nonhazardous additions.

COMPONENTPERCENTCAS #EC #GHS CLASSEthylene Glycol Monobutyl Ether1-5111-76-2203-905-0Eye Irrit. Cat. 2B

PAGE 1 of 7

Sodium Tripolyphosphate 1-5 7758-29-4 231-838-7 Skin & Inhalation Irrit. Cat 4

Tetrapotassium Pyrophosphate 1-5 7320-34-5 230-785-7

Acrylic Polymer 5-10 Proprietary Not Established Not Established
Not Established

Irrit. = Irritation, Corr. = Corrosion, Cat. = Category

#### **SECTION 4 - FIRST AID MEASURES**

**EYE CONTACT:** ......Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure

adequate flushing. Get immediate medical attention.

SKIN CONTACT:.....Remove contaminated clothing and shoes. Wash affected skin area with soap and

water.

SWALLOWING (INGESTION): .......If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If

vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical

attention.

**INHALATION:**.....Remove to fresh air.

**OTHER INSTRUCTIONS:** ...... Treat symptomatically and supportively.

#### **SECTION 5 – FIRE FIGHTING MEASURES**

**EXTINGUISHING MEDIA:** ...... Dry chemical, foam, water or carbon dioxide.

**SPECIAL PROTECITVE EQUIPMENT** 

AND PRECATUIONS FOR FIRE FIGHTERS: In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive

pressure, self-contained breathing apparatus (SCUBA) and full protective clothing.

Evacuate all non-essential personnel from the danger area.

**UNUSUAL FIRE AND** 

**EXPLOSION HAZARDS: .....** No further relevant information is available.

## **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

## PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT

**AND EMERGENCY PROCEDURES:...** Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

**ENVIRONMENTAL PRECAUTIONS:.** Keep spilled material away from sewage/drainage systems and waterways.

**METHODS AND MATERIALS FOR** 

CONTAINMENT AND CLEAN UP:....All clean-up personnel must be properly trained. Confine the spill and remove

incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

## **SECTION 7 – HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING: Wear proper protective equipment.

**CONDITIONS FOR SAFE STORAGE:.** Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.

# SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE):.... The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Ethylene Glycol Monobutyl Ether	50 ppm	20 ppm	Not Established
Sodium Tripolyphosphate	Not Established	Not Established	Not Established
Tetrapotassium Pyrophosphate	Not Established	Not Established	Not Established
Acrylic Polymer	Not Established	Not Established	Not Established
EYE PROTECTION:Che	mical splash goggles or safety glasse	es.	
SKIN PROTECTION:			
<b>RESPIRATORY PROTECTION:</b> Brief exposure should not require respiratory filter device.			
VENTILATION:Adequate ventilation is recommended.			
ADDITIONAL MEASURES: Emergency eyewash and safety shower facilities should be available in the immediate			
wor	k area.		
REQUIRED WORK/HYGIENE: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and			

# **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

feed. Do not eat, drink or smoke in work area.

APPEARANCE:	.Clear amber liquid with pleasant odor.	
ODOR:	.Mild odor.	
ODOR THRESHOLD:	.Not Available	
pH:	<b>.</b> 9.0 - 9.5	
MELTING POINT/FREEZING POINT: Not available		
BOILING POINT:	.Not available	
FLASHPOINT:	.Not applicable	
EVAPORATION RATE:		
FLAMMABILITY:	.Non flammable, non combustible	
LOWER FLAMMABILITY LIMIT:	.Not applicable	
UPPER FLAMMABILITY LIMIT:	.Not applicable	
VAPOR PRESSURE:	.Not Available	
VAPOR DENSITY (AIR=1):	.Not determined	
RELATIVE DENSITY:	.1.07	
SOLUBILITY IN WATER:	.Soluble in water	
PARTITION COEFFICIENT n-OCTANOL/WATER: Not Available		
AUTOIGNITION TEMPERATURE: Not Available		
<b>DECOMPOSITION TEMPERATURE:.</b> Not Available		

## **SECTION 10 – STABILITY AND REACTIVITY**

**STABILITY:** ......Stable under recommended storage conditions.

**HAZARDOUS CONDITIONS TO AVOID:** No decomposition if used according to specifications.

**INCOMPATIBLE MATERIALS: ......** Keep away from strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: No dangerous decomposition products known.

#### **SECTION 11 – TOXICOLOGICAL INFORMATION**

TOXICOLOGICAL INFORMATION:... Ethylene Glycol Butyl Ether:

ACUTE TOXICITY: ......LD50 values: Oral LD50: 470 mg/kg (rat). LC50 dermal: 220 (rabbit). Not listed. Eyes:

Rabbit: Mild Irritation: 25 hours.

CHRONIC EFFECTS ON HUMANS:... MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. May cause damage to the

following organs: blood, kidneys, liver, central nervous system (CNS).

OTHER TOXIC EFFECTS ON HUMANS: Hazardous in case of skin contact (permeator), of ingestion, of inhalation. Slightly

hazardous in case of skin contact (irritant).

TOXICOLOGICAL INFORMATION:... Sodium Tripolyphosphate

ACUTE TOXICITY: ......Oral - rat LD50 - 5,400 mg/kg; practically non-toxic

Dermal - rabbit LD50 - > 7,940 mg/kg; practically non-toxic

Eye Irritation - rabbit - 3.3/110.0; slightly irritating

Skin Irritation - rabbit - 0-0/8.0 (24-hr exp.); not irritating

Inhalation - LC50 > 0.39 mg/L (rat, 4 hr) (maximum attainable concentration)

TOXICOLOGICAL INFORMATION:... Tetrapotassium Pyrophosphate

ACUTE TOXICITY: ......Oral - rat LD50: > 2980 mg/kg; slightly toxic

Dermal - rabbit LD50: > 7940 mg/kg; practically nontoxic Eye Irritation - rabbit: 11.1/110.0; moderately irritating

Skin Irritation - rabbit: 0.5/8.0 (24-hr exposure); practically nonirritating.

#### **SECTION 12 - ECOLOGICAL INFORMATION**

ECOLOGICAL INFORMATION: ...... Ethylene Glycol Butyl Ether:

ECOTOXICITY (aquatic and terrestrial, where available): Not Available.

BOD5 and COD: ......Not available.

PRODUCTS OF BIODEGRADATION: Possibly hazardous short term degradation products are not likely. However, long term

degradation products may arise.

**TOXICITY OF THE PRODUCTS OF BIODEGRADATION:** The products of degradation are less toxic than the product itself.

SPECIAL REMARKS ON THE PRODUCTS OF BIODEGRADATION: Not available

ECOLOGICAL INFORMATION: ...... Sodium Tripolyphosphate

> 100 mg/L, non-toxic (Rainbow trout, Inland silversides and mysid schrimp). [FMC 189-

1081, 1082 & 1083] 48 hr. LC 50> 100 mg/L, non-toxic (Daphnia magna) [FMC I89-1084]

PERSISTENCE and DEGRADABILITY: No data available.

ECOLOGICAL INFORMATION: ...... Tetrapotassium Pyrophosphate

96-hr LC50 Mysid Shrimp > 100 mg/l, Practically Nontoxic

96-hr LC50 Rainbow trout: > 100 mg/l, Practically Nontoxic.

**ENVIRONMENTAL FATE: ......Phosphates:** Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This

condition is characterized by excessive algal growth, and subsequent decreases in

oxygen levels. In general, proper use and disposal of this product should pose no adverse ecological risk.

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL: ......This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

#### **SECTION 14 – TRANSPORTATION INFORMATION**

**DOT/IMDG/ IATA PROPER SHIPPING NAME: Not Hazardous** 

HAZARD CLASS AND LABEL: ..... Not Applicable. UN NUMBER:..... Not Applicable PACKAGING GROUP:..... Not Applicable EPA REPORTABLE QUANTITY (RQ): Not Applicable. MARINE POLLUTANT: ..... Not listed. **EMERGENCY RESPONSE GUIDE: ....** Not Applicable.

#### **SECTION 15 - REGULATORY INFORMATION**

#### **U.N. GHS CLASSIFICATION & LABELING INFORMATION:**

CLASSIFICATION: ..... Eye Irritant: Category 2B, Skin Irritant: Category 2, Inhalation Irritant: N/A.

SIGNAL WORD: ...... Warning

H STATEMENTS:......H302: Harmful if swallowed.

H313: May be harmful in contact with skin.

H320: Causes eye irritation.

P102: Keep out of reach of children.

P103: Read label before use.

P264: Wash skin and contaminated clothing thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P281: Use personal protective equipment as required.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362: Take off contaminated clothing.

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations.

HAZARD PICTOGRAMS:....



**U.S. FEDERAL REGULATORY INFORMATION:** 

**LISTED CARCINOGEN:....** Not listed.

TSCA STATUS: ...... The ingredients of this product are listed on TSCA inventory (40CFR 710.)

SARA SECTION 302: ......None

SARA SECTION 312: .....Acute health hazard.

SARA SECTION 313: ..... Not listed

**EUROPEAN UNION REGULATORY INFORMATION:** 

EC CLASSIFICATION:.....Non Hazardous

DSD/DPD RISK (R) PHRASES: ............ R22: Harmful is swallowed.

R36/38: Irritating to eyes and skin.

**DSD/DPD SAFETY (S) PHRASES: .....** S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is conscious.

**DSD/DPD HAZARD SYMBOL:.....** Exclamation Mark

**CANADIAN REGULATORY INFORMATION:** 

**DOMESTIC SUBSTANCES LIST (DSL):** Listed **INGREDIENT DISCLOSURE LIST:** ..... Listed



## SECTION 16 – OTHER INFORMATION

intended use.

**FOOT NOTES:** 

IMDG:.....International Maritime Code for Dangerous Goods

**DOT:**.....US Department of Transportation

IATA: ......International Air Transportation Association

NFPA: ...... National Fire Protection Association (USA)

HMIS: ...... Hazardous Materials Identification System (USA)

LC50: ..... Lethal concentration, 50 percent

LD50:.....Lethal dose, 50 percent

TOST:	Target Organ Systemic Toxicity
DATE PREPARED:	MAR 1, 2012
DATE REVISED:	MAR 1, 2014