

Complete Guard™ Multi-Level Carpet and Fabric Stain and Soil Protector



- » It uses state-of-the-art, environmentally preferred short-chain fluorochemical technology to protect against damaging dry soils as well as both water-based and oil-based spills.
- » **Complete Guard** coats fibers with a dye-blocking stain barrier to protect them from dye stains and common household food and beverage spills. **Complete Guard** protects the fiber completely, not just at the top like conventional protectors.
- » **Complete Guard** also reduces or eliminates extended drying times you experience with conventional protectors, because it uses half the water of most other protectors
- » **Complete Gaurd** protects the carpet three ways:
 1. from the top with fluorochemicals
 2. from inside the fibers out with dyeblockers
 3. from the outside

*If for any reason you are not thrilled with the performance of **Complete Guard** return it to your distributor and we'll get you a product that does.*



Directions:

1. Always pretest for color fastness
2. If accidental freezing occurs, allow to thaw at room temperature, then shake vigorously.

Low Moisture Dilution:

1. Dilute by mixing 1 part concentrate protector with 2 parts water.
2. Apply to freshly cleaned carpet using an electric or battery powered sprayer maintaining 35 to 50 psi with an 8004 or 8005 TeeJet nozzle.
3. Apply evenly over entire carpet surface.
4. Brush or groom the carpet.
5. Coverage will be approximately 400 to 800 sq. ft. per diluted gallon for damp or dry carpet. Coverage depends on carpet pile density; i.e. heavy pile residential requires 1 RTU gallon per 400 sq. ft. , low pile commercial requires 1 RTU gallon per 800 sq. ft.
6. For faster drying, especially in humid environments, consider the use of an axial, centrifugal, or downdraft air mover after cleaning.

Alternate Dilution:

1. Dilute by mixing 1 part concentrate protector with 4 parts water.
2. Apply to freshly cleaned carpet using an electric or battery powered sprayer maintaining 35 to 50 psi with an 8004 or 8005 TeeJet nozzle.
3. Apply evenly over entire carpet surface. For use with injection sprayer, remove metering tip to achieve 1 to 4 dilution.
4. Brush or groom the carpet.
5. Coverage: 240 to 480* sq. ft. per diluted gallon for damp or dry carpet. Coverage depends on carpet pile density; i.e. heavy pile residential requires 1 RTU gallon per 240 sq. ft. , low pile commercial requires 1 RTU gallon per 480 sq. ft.
6. For faster drying, especially in humid environments, consider the use of an axial, centrifugal, or downdraft air mover after cleaning.

See the material safety data sheet at www.cleanmaster.com for safety and regulatory information.

Learn more, scan here



Available in: 1 Gallon; Case of 4 x 1 Gallon

Part number: 950-247-S, B

11015 47th Ave W, Mukilteo, WA 98275

www.cleanmaster.com • 877.282.2319

CLEANMaster
HydraMaster Cleaning Solutions



CLEANMaster