

SAFETY DATA SHEET

HYDRASEAL

SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME : HYDRASEAL
SYNONYMS : Product is a mixture: No synonyms are available.
PRODUCT USE : Moderately Alkaline Material
SUPPLIER : HYDRAMASTER CORP.
SUPPLIER'S ADDRESS : 11015 47TH AVE W, MUKILTEO, WA 98275
(425) 776-7272
EMERGENCY RESPONSE PHONE NUMBER : PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed.
H315 Causes skin irritation
H319 Causes serious eye irritation

LABEL ELEMENTS : **GHS – US HAZARD PICTOGRAMS** The product is classified and labeled according to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS :



SIGNAL WORD : WARNING

HAZARD STATEMENTS (GHS-US) : Not established

: H302 Harmful if swallowed.
: H315 Causes skin irritation.
: H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS (GHS-US) : P101 If medical advice is needed, have product container or label at hand.

: P102 Keep out of reach of children.
: P103 Read label before use.
: P264 Wash skin and contaminated clothing thoroughly after handling.
: P270 Do not eat, drink or smoke when using this product.
: P280 Wear suitable protective gloves/protective clothing/eye protection/face protection.
: P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
: P302+P352 : IF ON SKIN: Wash with plenty of soap and water.
: P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
: P332+P313 If skin irritation occurs: Get medical advice/attention.
: P337+P313 If eye irritation persists: Get medical advice/attention.
: P501 Dispose of contents/container in accordance with local/regional/national/international regulations

CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.
NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0
HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SAFETY DATA SHEET

HYDRASEAL

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC : Mixtures
DESCRIPTION : Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Diethylene Glycol Monobutyl Ether	1-5	112-34-5	203-961-6	Eye Irrit Cat 2B
Perfluoroalkyl Phosphates, Ammonium Salts	1-5	Mixture	N/A	Not Found
Isopropanol (Isopropyl alcohol)	1-3	67-63-0	200-661-7	Eye Irrit Cat 2, Flam Liq Cat 2, STOT SE Cat 3

Irrit = Irritation, Cor = Corrosive, Dam = Damage, Cat = Category, Tox = Toxic, STOT = Specific Target Organ Toxicity.

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.

EYE CONTACT : Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. If irritation persists, get immediate medical attention.

SKIN CONTACT : Remove contaminated clothing and shoes. Wash affected skin area with soap and water. If irritation persists, get immediate medical attention.

SWALLOWING (INGESTION) : If ingested, dilute swallowed material by drinking water. **DO NOT INDUCE VOMITING.** If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.

INHALATION : Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS : Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA : Dry chemical, foam, water or carbon dioxide.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS : In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area.

UNUSUAL FIRE AND EXPLOSION HAZARDS : No further relevant information is available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL PROCEDURES : Keep spilled material away from sewage/drainage systems and waterways.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP : All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an

SAFETY DATA SHEET

HYDRASEAL

appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

- PRECAUTIONS FOR SAFE HANDLING** : Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.
- CONDITIONS FOR SAFE STORAGE** : Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.



SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

- TLV (THRESHOLD LIMIT VALUE)** : The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Diethylene Glycol Monobutyl Ether	Not Established	Not Established	Not Established
Perfluoroalkyl Phosphates, Ammonium Salts	Not Established	Not Established	Not Established
Isopropanol (Isopropyl alcohol)	400 ppm	200 ppm	400 ppm

- EYE PROTECTION** : Wear chemical splash goggles or face shield.
- SKIN PROTECTION** : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.
- RESPIRATORY PROTECTION** : In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
- VENTILATION** : Ensure adequate ventilation.
- ADDITIONAL MEASURES** : Emergency eyewash and safety shower facilities should be available in the immediate work area.
- REQUIRED WORK/HYGIENE** : Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

- APPEARANCE** : Clear liquid with mild odor
- ODOR** : Mild odor
- ODOR THRESHOLD** : Not available
- PH** : 8.0 - 9.0 AS IS
- MELTING POINT/FREEZING POINT** : Not available
- BOILING POINT** : Approx. 212° F.
- FLASH POINT** : Non flammable, non combustible
- EVAPORATION RATE** : Not available
- FLAMMABILITY** : Non flammable-Non combustible
- LOWER FLAMMABILITY LIMIT** : Not available
- UPPER FLAMMABILITY LIMIT** : Not available

SAFETY DATA SHEET

HYDRASEAL

VAPOR PRESSURE	: Not available
VAPOR DENSITY (AIR=1)	: Not available
RELATIVE DENSITY	: 0.99
SOLUBILITY IN WATER	: Soluble in water
PARTITION COEFFICIENT n- OCTANOL/WATER	: Not available
AUTOIGNITION TEMPERATURE	: Not available
DECOMPOSITION TEMPERATURE	: Not available

SECTION 10 – STABILITY AND REACTIVITY

STABILITY	: Stable under recommended storage conditions.
HAZARDOUS CONDITIONS TO AVOID	: No decomposition if used according to specifications
INCOMPATIBLE MATERIALS	: Keep away from strong acids.
HAZARDOUS DECOMPOSITION PRODUCTS	: No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION	: Diethylene Glycol Monobutyl Ether
ACUTE TOXICITY	: Oral LD50 Oral (rat): 5560 mg/kg. LC50 dermal and inhalation: Not listed.
CHRONIC EFFECTS	: Prolonged absorption causes liver and kidney damage, and red cell haemolysis (blood in urine) in laboratory animals; no such effects have been seen in humans
SENSITISATION	: Not a sensitizer.
CARCINOGENICITY	: No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and OSHA.
TOXICOLOGICAL INFORMATION	: Isopropanol (Isopropyl Alcohol)
ACUTE TOXICITY	: LD50 Oral (rat): 5045 mg/kg. LD50 Dermal (rabbit): 12,800 mg/kg. LC50 Inhalation (rat) 8hr: 16,000 mg/kg.
OTHER INFORMATION EYES	: Produces irritation, characterized by a burning sensation, redness, tearing, inflammation, and possible corneal injury. May cause transient corneal injury
OTHER INFORMATION INGESTION	: Causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause kidney damage. May cause central nervous system depression, characterized by excitement, followed by headache, dizziness, drowsiness, and nausea.
OTHER INFORMATION INHALATION	: Inhalation of high concentrations may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma. May cause narcotic effects in high concentration. Causes upper respiratory tract irritation. Inhalation of vapors may cause drowsiness and dizziness.
OTHER INFORMATION SKIN	: May cause irritation with pain and stinging, especially if the skin is abraded. Isopropanol has a low potential to cause allergic skin reactions; however, rare cases of allergic contact dermatitis have been reported.
STOT SINGLE EXPOSURE CARCINOGENICITY	: Inhalation - May cause drowsiness or dizziness. - Central Nervous System. : IARC: Group 3: Not classifiable as to its carcinogenicity to humans. No component of this product, present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH, NTP or OSHA.
ECOLOGICAL INFORMATION	: Perfluoroalkyl Phosphates, Ammonium Salts
ACUTE TOXICITY	: This material has not been tested. Information on similar products and compounds: LD50 Oral (rat): > 5,000 mg/kg, LD50 Dermal (rat): > 5,000 mg/kg.
INHALATION TOXICITY	: Inhalation 4 h ALC - Approximate Lethal Concentration: 0.047 mg/l , rat

SAFETY DATA SHEET

HYDRASEAL

Target Organs: Respiratory Tract. Irritating to respiratory system.

Inhalation 4 h Acute toxicity estimate: 0.005 mg/l , rat

Target Organs: Respiratory Tract. Irritating to respiratory system.

Inhalation 4 h No Observed Adverse Effect Concentration (NOAEC): 0.001 mg/l , rat

Target Organs: Respiratory Tract Irritating to respiratory system.

IRRITATION / SENSITISATION	: Skin irritation : No skin irritation, rabbit. Eye irritation : slight irritation, rabbit. Sensitisation : Did not cause sensitization on laboratory animals (mouse)
REPEAT DOSAGE	: This material has not been tested. Information on similar products and compounds: Oral – gavage: rat. No toxicologically significant effects were found. Oral – gavage: rat. Target Organs: Liver: Liver effects, Thyroid effects, Kidney effects, altered hematology, weight loss, reduced body weight gain. Inhalation: rat. Respiratory tract irritation, lung effects. Dermal: rat Liver effects, altered blood chemistry.
REPRODUCTIVE TOXICITY	: Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity.
MUTAGENICITY	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
CARCINOGENICITY	: None of the components of this material are listed as carcinogens by IARC, NTP, or OSHA.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION	: Diethylene Glycol Monobutyl Ether
ECOTOXICITY	: This product cannot accumulate in living tissue; diluted, this product is readily and rapidly in a wastewater treatment facility; in BOD test, 88% degraded in 28 says; half-life in air estimated as 10 hours.
PERSISTENCE AND DEGRADABILITY	: No data available.
ECOLOGICAL INFORMATION	: Isopropanol
ACUTE FISH TOXICITY	: LC50 / 96 hr: Pimephales promelas: 9,640 mg/L.
TOXICITY TO DAPHNIA	: EC50 / 24 h / Water Flea - 5,102 mg/L.
TOXICITY TO PLANTS	: EC50 / 72 hours Desmodosmus subspicatus > 2,000 mg/L.
MOBILITY	: This material is expected to have very high mobility in soil. It does not absorb to most soil types.
PERSISTENCE AND DEGRADABILITY	: No data available.
BIOACCUMULATIVE POTENTIAL	: No data available.
ECOLOGICAL INFORMATION	: Perfluoroalkyl Phosphates, Ammonium Salts
AQUATIC TOXICITY	: This material has not been tested. Information on similar products and compounds: 96 h LC50: Pimephales promelas (fathead minnow) > 120 mg/l 96 h LC50: Rare Gudgeon (Gobiocypris Rarus) > 150 mg/l 72 h ErC50 : Pseudokirchneriella subcapitata (green algae) > 120 mg/l 48 h EC50: Daphnia magna (Water flea) 16.2 mg/l 21 d : NOEC Daphnia magna (Water flea) 0.409 mg/l
BIODEGRADATION	: Not expected to exhibit significant biodegradability.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL	: This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.
-----------------------	--

SAFETY DATA SHEET

HYDRASEAL

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER SHIPPING NAME : Not Hazardous
HAZARD CLASS AND LABEL : Not Applicable.
UN NUMBER : Not Applicable.
PACKAGING GROUP : Not Applicable.
EPA REPORTABLE QUANTITY (RQ) : Not Applicable.
MARINE POLLUTANT : Not listed.
EMERGENCY RESPONSE GUIDE : Not Applicable.

SECTION 15 – REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information.

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN : Not listed.
TSCA STATUS : The ingredients of this product are listed in TSCA inventory (40CFR 710.)
SARA SECTION 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA SECTION 312 : Chronic health hazard (Glycol Ether DPM).
SARA SECTION 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
NFPA HEALTH : 2
NFPA FLAMMABILITY : 0
NFPA REACTIVITY : 0

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : Non Hazardous
DSD/DPD RISK (R) PHRASES : R22: Harmful if swallowed.
R36/38: Irritating to eyes and skin.
DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.
S24/25: Avoid contact with eyes and skin.
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/S37/39: Wear suitable protective clothing, gloves and eye/face protection.
S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.
S61: Avoid release to the environment.
S62: If swallowed, do not induce vomiting.
S64: If swallowed, rinse mouth with water if victim is conscious.
DSD/DPD HAZARD SYMBOL : Xi: Irritant



CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC).



DOMESTIC SUBSTANCES LIST : Listed

SAFETY DATA SHEET

HYDRASEAL

(DSL)

INGREDIENT DISCLOSURE LIST : Listed

SECTION 16 – OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act.
EINECS : European Inventory of Existing Commercial Chemical Substances
IMDG : International Maritime Code for Dangerous Goods
IARC : International Agency for Research on Cancer
IATA : International Air Transportation Association
ACGIH : American Conference of Governmental Industrial Hygienists
NFPA : National Fire Protection Association (USA)
NTP : National Toxicology Program
SARA : Superfund Amendments and Reauthorization Act
TSCA : Toxic Substances Control Act
HMIS : Hazardous Materials Identification System (USA)
WHMIS : Workplace Hazardous Materials Information System
LC50 : Lethal concentration, 50 percent
LD50 : Lethal dose, 50 percent
STOT : Systemic Target Organ Toxicity
DATE PREPARED : JAN 2, 2013
DATE REVISED : March 28, 2018