

Safety Data Sheet

HYDRAVITALIZE

SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME : HYDRAVITALIZE
SYNONYMS : Product is a mixture: No synonyms are available.
PRODUCT USE : Moderately Acidic Material
SUPPLIER : HYDRAMASTER CORP.
SUPPLIER'S ADDRESS : 11015 47TH AVE W, MUKILTEO, WA 98275
(425) 776-7272
EMERGENCY RESPONSE PHONE NUMBER : PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed.
H315 Causes skin irritation
H319 Causes serious eye irritation

LABEL ELEMENTS : **GHS – US HAZARD PICTOGRAMS** The product is classified and labeled according to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS :



SIGNAL WORD : WARNING

HAZARD STATEMENTS (GHS-US) : Not established

: H302 Harmful if swallowed.
: H315 Causes skin irritation.
: H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS (GHS-US) : P101 If medical advice is needed, have product container or label at hand.

: P102 Keep out of reach of children.
: P103 Read label before use.
: P260 Do not breathe dust/fume/gas/mist/vapors/spray.
: P264 Wash skin and contaminated clothing thoroughly after handling.
: P270 Do not eat, drink or smoke when using this product.
: P280 Wear suitable protective gloves/protective clothing/eye protection/face protection.
: P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
: P302+P352 : IF ON SKIN: Wash with plenty of soap and water.
: P305+351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
: P332+P313 If skin irritation occurs: Get medical advice/attention.
: P337+P313 If eye irritation persists: Get medical advice/attention.
: P501 Dispose of contents/container in accordance with local /regional / national / international regulations.

CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.
NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0

Safety Data Sheet

HYDRAVITALIZE

HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC : Mixtures
DESCRIPTION : Mixture of the substances listed below with nonhazardous additions.

| COMPONENT | PERCENT | CAS # | EC # | GHS CLASS |
|--|---------|------------------------|-----------|--|
| Carbamide Hydrochloride | 20-40 | 506-89-8 | 208-059-6 | Not Found |
| Poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- | 1-5 | 34398-01-1 | Not Found | Not Found |
| Propylene Glycol Butyl Ether | 1-5 | 5131-66-8 & 18821-83-7 | 225-878-4 | Skin Irrit. Cat 2, Eye Irrit. Cat 2A -- |

Cat = Category, Corr = Corrosion, Irrit = Irritant, Dam = Damage, Tox = Toxicity, Inhal = Inhalation, STOT RE = Specific Target Organ Toxicity Repeated Exposure.

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.

EYE CONTACT : Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediate call a POISON CENTER or doctor/physician.

SKIN CONTACT : Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. If irritation persists, get immediate medical attention.

SWALLOWING (INGESTION) : If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.

INHALATION : Remove to fresh air. If symptoms persist, get immediate medical attention.

OTHER INSTRUCTIONS : Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA : Water spray, fog, carbon dioxide, foam, dry chemical

EXPLOSION HAZARDS : Product is not explosive.

REACTIVITY (FIRE) : Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release explosive hydrogen gas. When heated to decomposition, emits toxic fumes. May be corrosive to metals.

SPECIAL INSTRUCTIONS TO FIRE FIGHTERS

PRECAUTIONARY MEASURES : Exercise caution when fighting any chemical fire.

FIRE FIGHTING INSTRUCTIONS : Use water spray or fog for cooling exposed containers.

PROTECTION DURING FIRE FIGHTING : Do not enter fire area without proper protective equipment, including respiratory protection.

HAZARDOUS COMBUSTION PRODUCTS : Potassium oxides. May liberate toxic gases. Sodium oxides. Phosphorous oxides. Nitrogen oxides. Carbon oxides (CO, CO₂). Explosive Hydrogen gas.

OTHER INFORMATION (FIRE) : Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Safety Data Sheet

HYDRAVITALIZE

- PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES** : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
- ENVIRONMENTAL PROCEDURES** : Keep spilled material away from sewage/drainage systems and waterways.
- METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP** : All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

- PRECAUTIONS FOR SAFE HANDLING** : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.
- CONDITIONS FOR SAFE STORAGE** : Store in a dry, cool and well ventilated place. Keep container closed when not in use. Keep/store away from extremely high or low temperatures, direct sunlight, heat and incompatible materials (Strong acid, Strong oxidizers).



SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

- TLV (THRESHOLD LIMIT VALUE)** : The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

| COMPONENT | USA OSHA PEL – TWA | USA ACGIH TWA | USA ACGIH – STEL |
|--|--------------------|-----------------|------------------|
| Carbamide Hydrochloride | Not Established | Not Established | Not Established |
| Poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- | Not Established | Not Established | Not Established |
| Propylene Glycol Butyl Ether | Not Established | Not Established | Not Established |

- EYE PROTECTION** : Wear chemical splash goggles or face shield.
- SKIN PROTECTION** : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.
- RESPIRATORY PROTECTION** : In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
- VENTILATION** : Ensure adequate ventilation.
- ADDITIONAL MEASURES** : Emergency eyewash and safety shower facilities should be available in the immediate work area.
- REQUIRED WORK/HYGIENE** : Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

- APPEARANCE** : Light amber liquid with mild odor.
- ODOR** : Mild odor

Safety Data Sheet

HYDRAVITALIZE

| | | |
|---------------------------------------|---|--------------------------------|
| ODOR THRESHOLD | : | Not available |
| PH | : | 5-6 |
| MELTING POINT/FREEZING POINT | : | Not available |
| BOILING POINT | : | Approx. 212° F. |
| FLASH POINT | : | Non flammable, non combustible |
| EVAPORATION RATE | : | Not available |
| FLAMMABILITY | : | Non flammable-Non combustible |
| LOWER FLAMMABILITY LIMIT | : | Not available |
| UPPER FLAMMABILITY LIMIT | : | Not available |
| VAPOR PRESSURE | : | Not available |
| VAPOR DENSITY (AIR=1) | : | Not available |
| RELATIVE DENSITY | : | 1.06 |
| SOLUBILITY IN WATER | : | Soluble in water |
| PARTITION COEFFICIENT n-OCTANOL/WATER | : | Not available |
| AUTOIGNITION TEMPERATURE | : | Not available |
| DECOMPOSITION TEMPERATURE | : | Not available |

SECTION 10 – STABILITY AND REACTIVITY

| | | |
|----------------------------------|---|--|
| REACTIVITY | : | Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release explosion hydrogen gas. When heated to decomposition, emits toxic fumes. May be corrosive to metals. |
| STABILITY | : | Stable under recommended storage conditions. |
| HAZARDOUS CONDITIONS TO AVOID | : | Direct sunlight. Extremely high or low temperatures. Heat. Combustible materials. Incompatible materials. |
| INCOMPATIBLE MATERIALS | : | Chlorinated products such as bleach, alkaline materials, metals, metal powder, carbides, chlorates, fumigates, nitrates, picrates, strong oxidizers, reducing or combustible organic material. Hazardous gases are evolved on contact with chemicals such as chlorine bleach, cyanides, sulfides and carbides. |
| HAZARDOUS DECOMPOSITION PRODUCTS | : | Carbon oxides (CO, CO ₂). Thermal decomposition generates: Corrosive vapors. Toxic gases. Hydrogen gas. Nitrogen oxides. Phosphorous oxides. Sodium oxides. Potassium oxides. |

SECTION 11 – TOXICOLOGICAL INFORMATION

| | | |
|-------------------------------|---|--|
| TOXICOLOGICAL INFORMATION | : | Carbamide Hydrochloride |
| ACUTE ORAL TOXICITY | : | LD50 Oral (rat): No data available. |
| ACUTE DERMAL TOXICITY | : | LD50 Dermal (rabbit): No data available. |
| ACUTE INHALATION TOXICITY | : | LC50 Inhalation: No data available. |
| PRIMARY SKIN & EYE IRRITATION | : | No data available. |
| TOXICOLOGICAL INFORMATION | : | Poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- |
| ACUTE TOXICITY | : | LD50 Oral (rat): > 1,400 mg/kg, LD50 Dermal (rabbit): No data available. |
| IRRITATION | : | Eyes: Severe eye irritant, Skin: Severe skin irritant. |
| CHRONIC EFFECTS | : | No data available |
| TOXICOLOGICAL INFORMATION | : | Propylene Glycol Butyl Ether |
| ACUTE TOXICITY | : | LD 50 Rat: 2,200 mg/kg |
| ACUTE INHALATION TOXICITY | : | No data available |
| ACUTE DERMAL TOXICITY | : | LD 50 Rabbit: 3,100 mg/kg |

Safety Data Sheet

HYDRAVITALIZE

SECTION 12 – ECOLOGICAL INFORMATION

| | | |
|--------------------------------------|---|--|
| ECOLOGICAL INFORMATION | : | Carbamide Hydrochloride |
| EC50 BACTERIUM TOXICITY | : | Not available. |
| LC50 RAINBOW TROUT | : | Not available. |
| BOD | : | No data |
| COD | : | No data |
| HEAVY METALS | : | No data |
| ECOLOGICAL INFORMATION | : | Poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- |
| TOXICITY TO FISH | : | LC50 (96 h): 1 - 10 mg/l Species : Fathead minnow (Pimephales promelas). |
| TOXICITY TO DAPHNIA | : | EC50 (48 h): 1 - 10 mg/l Species : Daphnia |
| PERSISTENCE AND DEGRADABILITY | : | Not biodegradable. |
| BIOACCUMULATIVE POTENTIAL | : | No data available. |
| ECOLOGICAL INFORMATION | : | Propylene Glycol Butyl Ether |
| ECOTOXICITY: TOXICITY TO FISH | : | No data available |
| TOXICITY TO DAPHNIA | : | No data available |
| TOXICITY TO ALGAE | : | No data available |
| TOXICITY TO BACTERIA | : | No data available |

SECTION 13 – DISPOSAL CONSIDERATIONS

| | | |
|---------------------------------------|---|--|
| WASTE DISPOSAL RECOMMENDATIONS | : | This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste. |
| ECOLOGY-WASTE MATERIALS | : | This material is hazardous to the aquatic environment. Keep out of sewers and waterways. |

SECTION 14 – TRANSPORTATION INFORMATION

| | | |
|--|---|-----|
| DOT/IMDG/ IATA PROPER SHIPPING NAME | : | N/A |
| HAZARD CLASS AND LABEL | : | N/A |
| UN NUMBER | : | N/A |
| PACKAGING GROUP | : | N/A |
| EPA REPORTABLE QUANTITY (RQ) | : | N/A |
| MARINE POLLUTANT | : | N/A |
| EMERGENCY RESPONSE GUIDE | : | N/A |

SECTION 15 – REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION:

| | | |
|-----------------------------|---|--|
| LISTED CARCINOGEN | : | Not listed |
| TSC STATUS | : | The ingredients of this product are listed on TSCA (Toxic Substances Control Act) inventory (40CFR 710.) |
| SARA SECTION 302 | : | None |
| SARA SECTION 311/312 | : | Not listed. |
| HAZARD CLASS | : | |

Safety Data Sheet

HYDRAVITALIZE

SARA SECTION 313 : Not Listed
NFPA HEALTH : 2
NFPA FLAMMABILITY : 0
NFPA REACTIVITY : 0

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : Xi: Irritant.
DSD/DPD RISK (R) PHRASES : R22: Harmful if swallowed.
R36/38: Irritating to eyes and skin.
DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.
S18: Handle and open containers with care.
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/S37/39: Wear suitable protective clothing, gloves and eye/face protection.
S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.
S61: Avoid release to the environment.
S64: If swallowed, rinse mouth with water if victim is conscious.
DSD/DPD HAZARD SYMBOL : C: Corrosive, Xn: Harmful



CANADIAN REGULATORY INFORMATION

WHMIS CATEGORY : Class E: Corrosive, Class D2B: Materials that cause other toxic effects (TOXIC).
DOMESTIC SUBSTANCES LIST (DSL) : Listed
INGREDIENT DISCLOSURE LIST : Listed, This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the sds contains all of the information required by the CPR.



SECTION 16 – OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act.
EINECS : European Inventory of Existing Commercial Chemical Substances
IMDG : International Maritime Code for Dangerous Goods
IARC : International Agency for Research on Cancer
IATA : International Air Transportation Association
ACGIH : American Conference of Governmental Industrial Hygienists
NFPA : National Fire Protection Association (USA)
NTP : National Toxicology Program
SARA : Superfund Amendments and Reauthorization Act
TSCA : Toxic Substances Control Act
HMIS : Hazardous Materials Identification System (USA)
WHMIS : Workplace Hazardous Materials Information System
LC50 : Lethal concentration, 50 percent

Safety Data Sheet
HYDRAVITALIZE

LD50 : Lethal dose, 50 percent
STOT : Systemic Target Organ Toxicity
DATE PREPARED : JAN 2, 2013
DATE REVISED : March 28, 2018