Hard Surfaces, Synthetic Carpet

Gelled Solvent Specialty Adhesive Remover

OJ uses all natural citrus solvents to dissolve and break down specialty adhesives, tape residues, and other oil and grease based materials from hard surfaces, carpet, and upholstery without the use of harsh or toxic chlorinated solvents.

HydraMaster



ADHESIVE REMOVER

RTU pH N/A

Use Straight - No

Mixing Required

If for any reason you are not thrilled with the performance of OJ return it to your distributor and we'll get you a product that does. OJ sets the standard for gelled solvents in the cleaning industry. OJ uses all natural citrus solvents to dissolve and break down specialty adhesives, tape residues and other oil and grease based materials, from hard surfaces, carpet and upholstery, without the use of harsh or toxic chlorinated solvents. OJ is designed to remove reactive adhesives from a variety of substrates. Reactive adhesives include adhesives that require a hardener or catalyst in order for the bond to occur. OJ is a liquid that turns to a gel upon contact with the surface being treated, keeping the solution on the material you are trying to remove, not penetrating into the surface below. When removing specialty adhesives, tape adhesives, and other hardened solvent soluble materials, OJ stays on the surface of the contamination to lessen the likelihood of any delamination. It rinses easily from just about any surface, with no sticky residue.

Directions:

- 1. Shake well before using.
- 2. Always pre-test all cleaning solutions in an inconspicuous area for colorfastness prior to application.
- 3. Remove any loose or excess residue.
- 4. Apply OJ straight to the contamination being treated.
- Agitate the product into and around the material with a spotting spatula.
 Allow 2-3 minutes of dwell time.
- 7. Blot up or scrape up excess solution, along with any adhesive or other reside that has been loosened.
- 8. Rinse or extract the area being cleaned thoroughly.

Contents: D'Limonene (C.A.S.# 5989-27-5), diabasic ester

Important notice to purchaser: Before using, the user shall determine the suitability of this product for its intended use, and user assumes all risk and liability whatsoever in conjunction therewith. The user should horoughly review the material safety data sheet for this product and follow recommendations for mixing, application, disposal, and the use of any applicable personal protective equipment (PPE). The manufacturer, distributor, and seller of this product warrant that the chemical contained herein conforms to its standard specifications. Seller's and manufacturer's liability for any and all losses or damages resulting from any cause whatsoever shall in no event exceed the purchase price of this product, with respect to which losses or damages are claimed. The manufacturer and seller make no representation or warranty, including merchantability or any other kind, expressed or implied. The foregoing may not be altered except by written agreement by officiers of the manufacturer.



See Safety Data Sheet (SDS): scan here or visit www.hydramaster.com for additional safety and regulatory information.

Part # 800-600-S Art 800-600-S R3

I of

GHS U.S. – CLASSIFICATION: WARNING Flammable liquid and vapor. May be harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction, Causes serious eye irritation. Very toxic to aquatic life. PRECAUTIONARY STATEMENTS (GHS-US) If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof electrical/ventilation/light... equipment. Use only non-sparking tools.

- Take precautionary measures against static discharge.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Wash skin and contaminated clothing thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well ventilated area.
- Wear suitable protective gloves/protective clothing/eye
- protection/face protection.
- IF IN EYES: Rinse cautiously with water for several minutes.
 - Remove contact lenses if present and easy to do continue rinsing.
 - If eye irritation persists, get medical attention. IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: If breathing is difficult, remove
 - victim to fresh air and keep at rest in a position comfortable to breathing. If eye irritation persists:
- Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- OSHA HAZARDS: D-Limonene: Combustible Liquid, Target Organ Effect,
 - Skin Sensitizer, Irritant
- TARGET ORGANS: Not applicable

CLASSIFICATION SYSTEM:

NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme. NFPA RATINGS (SCALE 0-4) Health = 2, Fire = 2, Reactivity = 0 HMIS RATINGS (SCALE 0-5) Health = 2, Fire = 2, Reactivity = 0

HydraMaster 11015 47th Avenue West Mukilteo, WA 98275 425.775.7272 www.hvdramaster.com



Net Contents One U.S. Quart (.9463 liters