SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME SYNONYMS PRODUCT USE SUPPLIER	:	CLEARWATER RINSE Product is a mixture: No synonyms are available. Moderately Acidic Material HYDRAMASTER CORP.
SUPPLIER'S ADDRESS		11015 47TH AVE W, MUKILTEO, WA 98275 (425) 776-7272
EMERGENCY RESPONSE PHONE NUMBER	:	PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTA GHS U.S. – CLASSIFICATION	NCE :		Harmful if swallowed. Causes skin irritation Causes serious eye irri	
LABEL ELEMENTS	:	GHS – US H	AZARD PICTOGRAMS	The product is classified and labeled according to the Globally Harmonized System (GHS).
HAZARD PICTOGRAMS	:	(!)		to the diobally harmonized system (dris).
SIGNAL WORD	:	WARNING		
HAZARD STATEMENTS (GHS-US)	:		Not established	
(0.00 00)	:	H302	Harmful if swallowed.	
	:	H315	Causes skin irritation.	
	:	H319	Causes serious eye irr	itation.
PRECAUTIONARY STATEMENTS (GHS-US)	:	P101	If medical advice is ne	eded, have product container or label at hand.
	:	P102	Keep out of reach of c	hildren.
	:	P103	Read label before use	
	:	P260	Do not breathe dust/f	ume/gas/mist/vapors/spray.
	:	P264	Wash skin and contan	ninated clothing thoroughly after handling.
	:	P270		moke when using this product.
	:	P280	Wear suitable protect protection/face prote	ive gloves/protective clothing/eye
	:	P301+P312	•	POISON CENTER or doctor/physician if you feel
	:	P302+P352	: IF ON SKIN: Wash w	ith plenty of soap and water.
	:	P305+351+		ously with water for several minutes. Remove
		P338	contact lenses, if pres	ent and easy to do. Continue rinsing.
	:	P332+P313	If skin irritation occurs	s: Get medical advice/attention.
	:	P337+P313	If eye irritation persist	ts: Get medical advice/attention.
	:	P501	Dispose of contents/ national / internation	/container in accordance with local /regional / al regulations.
CLASSIEICATION SYSTEM			Definitions: 0 Least 1 S	light 2 Modorato 2 High 4 Extromo
CLASSIFICATION SYSTEM	•		ire = 0, Reactivity = 0	light, 2-Moderate, 3-High, 4-Extreme.
NFPA RATINGS (SCALE 0-4)	:	neaití) = 2, Fl	ire – 0, Reactivity = 0	

HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC	:	Mixtures
DESCRIPTION	:	Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Hydroxyacetic acid	1-5	79-14-1	201-180-5	Skin Irrit Cat 1B, Eye Dam Cat 1, Acute Tox Aquatic
				Cat3, Acute Tox Inhal & Oral Cat 4
Methyl-oxirane polymer with	1-5	9003-11-6	Not Found	No need for classification according to GHS
oxirane				criteria for this product.
Sodium Dodecylbenzene	1-5	25155-30-0	246-680-4	Skin Irrit Cat 4, Eye Dam Cat 2
Sulfonate				Acute Tox Cat 4, STOT SE Cat 3
Sodium Octane Sulfonate	1-5	5324-84-5	226-195-4	Skin Irrit Cat 2, Eye Irrit Cat 2A
				STOT SE Cat 3

Cat = Category, Corr = Corrosion, Irrit = Irritant, Dam = Damage, Tox = Toxicity, Inhal = Inhalation, STOT RE = Specific Target Organ Toxicity Repeated Exposure. Also contains <1% non-hazardous fragrance, surfactant and acrylic polymer(s).

SECTION 4 – FIRST AID MEASURES					
DESCRIPTION OF FIRST AID MEASURES					
GENERAL	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.				
EYE CONTACT	: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediate call a POISON CENTER or doctor/physician.				
SKIN CONTACT	: Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. If irritation persists, get immediate medical attention.				
SWALLOWING (INGESTION)	: If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.				
INHALATION OTHER INSTRUCTIONS	 Remove to fresh air. If symptoms persist, get immediate medical attention. Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively. 				

EXTINGUISHING MEDIA EXPLOSION HAZARDS REACTIVITY (FIRE)	 Water spray, fog, carbon dioxide, foam, dry chemical Product is not explosive. Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release explosive hydrogen gas. When heated to decomposition, emits
	toxic fumes. May be corrosive to metals.
SPECIAL INSTRUCTIONS TO FIRE	FIGHTERS
PRECAUTIONARY MEASURES	: Exercise caution when fighting any chemical fire.
FIREFIGHTING INSTRUCTIONS	: Use water spray or fog for cooling exposed containers.
PROTECTION DURING	: Do not enter fire area without proper protective equipment, including respiratory
FIREFIGHTING	protection.
HAZARDOUS COMBUSTION PRODUCTS	: Potassium oxides. May liberate toxic gases. Sodium oxides. Phosphorous oxides. Nitrogen oxides. Carbon oxides (CO, CO ₂). Explosive Hydrogen gas.

SECTION 5 – FIRE FIGHTING MEASURES

OTHER INFORMATION (FIRE)	:	Do not allow run-off from fire fighting to enter drains or water courses.
		SECTION 6 – ACCIDENTAL RELEASE MEASURES
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES ENVIRONMENTAL PROCEDURES METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP	: : :	Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact. Keep spilled material away from sewage/drainage systems and waterways. All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.
CONDITIONS FOR SAFE STORAGE	Store in a dry, cool and well ventilated place. Keep container closed when not in use. Keep/store away from extremely high or low temperatures, direct sunlight, heat and incompatible materials (Strong acid, Strong oxidizers).



SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT		USA OSHA PEL – TWA	USA ACGIH TWA	USA ACGIH – STEL
Hydroxyacetic acid		Not Established	Not Established	Not Established
Methyl-oxirane polymer with ox	xirane	Not Established	Not Established	Not Established
Sodium Dodecylbenzene Sulfon	ate	Not Established	Not Established	Not Established
Sodium Octane Sulfonate		Not Established	Not Established	Not Established
EYE PROTECTION SKIN PROTECTION RESPIRATORY PROTECTION	: Minimize apron ar : In case o exposure	emical splash goggles or face e contact with product. We nd/or suitable long-sleeved clo of brief exposure use respira- e, use respiratory protective of doguate wontilation	ar chemical resistant co othing. tory filter device. In case	of intensive or longer
VENTILATION ADDITIONAL MEASURES	: Emerger	dequate ventilation. hcy eyewash and safety s hte work area.	hower facilities should	be available in the
REQUIRED WORK/HYGIENE		ands thoroughly after handli I. Do not eat, drink or smoke	•	food stuffs, beverages

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	:	Clear amber liquid with mild odor.
ODOR	:	Mild odor
ODOR THRESHOLD	:	Not available
РН	:	2.5 <u>+</u> 0.5
MELTING POINT/FREEZING	:	Not available
POINT		
BOILING POINT	:	Approx. 212° F.
FLASH POINT	:	Non flammable, non combustible
EVAPORATION RATE	:	Not available
FLAMMABILITY	:	Non flammable-Non combustible
LOWER FLAMMABILITY LIMIT	:	Not available
UPPER FLAMMABILITY LIMIT	:	Not available
VAPOR PRESSURE	:	Not available
VAPOR DENSITY (AIR=1)	:	Not available
RELATIVE DESNITY	:	1.03
SOLUBILITY IN WATER	:	Soluble in water
PARTITION COEFFICIENT n-	:	Not available
OCTANOL/WATER		
AUTOIGNITION TEMPERATURE	:	Not available
DECOMPOSITION	:	Not available
TEMPERATURE		

SECTION 10 – STABILITY AND REACTIVITY

REACTIVITY	Thermal decomposition generates: Corrosive vapors. If the product is invol fire, it can release explosion hydrogen gas. When heated to decompositio toxic fumes. May be corrosive to metals.	
STABILITY	Stable under recommended storage conditions.	
HAZARDOUS CONDITIONS TO AVOID	Direct sunlight. Extremely high or low temperatures. Heat. Combustible m Incompatible materials.	aterials.
INCOMPATIBLE MATERIALS	Chlorinated products such as bleach, alkaline materials, metals, metal carbides, chlorates, fumigates, nitrates, picrates, strong oxidizers, redu combustible organic material. Hazardous gases are evolved on conta chemicals such as chlorine bleach, cyanides, sulfides and carbides.	icing or
HAZARDOUS DECOMPOSITION PRODUCTS	Carbon oxides (CO, CO_2). Thermal decomposition generates: Corrosive vapo gases. Hydrogen gas. Nitrogen oxides. Phosphorous oxides. Sodium Potassium oxides.	

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION ACUTE TOXICITY SKIN CORROSION AND EYE DAMAGE	: : :	Hydroxyacetic Acid LD50 Oral (rat): 1357 mg/kg. LC50 Inhalation (male rat): 2.52 mg/L. Corrosive
CARCINOGENICITY	:	No data available.
TOXICOLOGICAL INFORMATION	:	Methyl-oxirane polymer with oxirane
ACUTE ORAL TOXICITY	:	LD50 Oral (rat): > 2000 mg/kg, LD50 Dermal (rabbit): 10,200 mg/kg
SKIN AND EYE IRRITATION	:	Draize Test: Eyes: Non irritant, Skin: Non irritant.
SENSITISATION	:	Skin sensitizing effects were not observed in animal studies.
SYMPTOMS OF EXPOSURE	:	No significant symptoms are expected due to the non-classification of the product.
TOXICOLOGICAL INFORMATION	:	Sodium Dodecylbenzene Sulfonate

ACUTE TOXICITY INHALATION TOXICITY DERMAL TOXICITY SKIN CORROSION/IRRITATION SERIOUS EYE DAMAGE/IRRITATION RESPIRATORY/SKIN SENSITISATION GERM CELL MUTAGENICITY CARCINOGENICITY	 LD50 Oral rat: 438 mg/kg. No data available No data available Skin – rabbit Result: Skin irritation - 24 h Eyes – rabbit Result: Severe eye irritation - 24 h No data available No data available No data available No components of this product present at levels greater than or equal to 0.1% are identified as probable, possible or confirmed human carcinogen by IARC ACGIH, NTP or OSHA. 				
TOXICOLOGICAL INFORMATION ACUTE TOXICITY IRRITATION INHALATION	 Sodium Octane Sulfonate Inhalation may cause pain in respiratory system, sneezing coughing and difficulty in breathing. 				
CARCINOGENICITY	: This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.				
	SECTION 12 – ECOLOGICAL INFORMATION				
ECOLOGICAL INFORMATION AQUATIC TOXICITY FISH BIOACCUMULATION PERSISTENCE AND DEGRADABILITY	 Hydroxyacetic Acid LC50/48 h/Lepomis macrochirus (Bluegill sunfish): 93 mg/L. No data available. Readily biodegradable, according to appropriate OECD test. 				
ECOLOGICAL INFORMATION ECOTOXICITY	 Methyl-oxirane polymer with oxirane Toxicity to fish: LC50 (96 h) 105 mg/l, Oncorhynchus mykiss Aquatic invertebrates: EC50 (48 h) 1,033 mg/l, Daphnia magna 				
PERSISTENCE AND BIODEGRADABILITY MOBILITY	 Aquatic plants: EC50 (72 h) 370 mg/l, algae Assessment: Readily biodegradable (according to OECD criteria) The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is possible. 				
ECOLOGICAL INFORMATION	: Sodium Dodecylbenzene Sulfonate				
ΤΟΧΙ CITY ΤΟ FISH	 Mortality NOEC - Oncorhynchus kisutch - 3.1 mg/l - 3 d Mortality LOEC - Oncorhynchus kisutch - 5.6 mg/l - 3 d LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h 				
ECOLOGICAL INFORMATION ACUTE TOXICITY FISH, DAPHNIA, BACTERIA	Sodium Octane Sulfonate No ecological data available for this material.				
	SECTION 13 – DISPOSAL CONSIDERATIONS				
WASTE DISPOSAL RECOMMENDATIONS	: This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.				
ECOLOGY-WASTE MATERIALS	 This material is hazardous to the aquatic environment. Keep out of sewers and waterways. 				

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER SHIPPING NAME	:	N/A
HAZARD CLASS AND LABEL	:	N/A
UN NUMBER	:	N/A
PACKAGING GROUP	:	N/A
EPA REPORTABLE QUANTITY	:	Not applicable.
(RQ)		
MARINE POLLUTANT	:	N/A
EMERGENCY RESPONSE GUIDE	:	N/A

SECTION 15 - REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN	: Not listed
TSC STATUS	: The ingredients of this product are listed on TSCA (Toxic Substances Control Act) inventory (40CFR 710.)
SARA SECTION 302	: None
SARA SECTION 311/312	: None
HAZARD CLASS	
SARA SECTION 313	: Not Listed
NFPA HEALTH	: 2
NFPA FLAMMABILITY	: 0
NFPA REACTIVITY	: 0

EUROPEAN UNION REGULATORY INFORMATION:

LONOPLAN UNION REGULATOR	1 111	
EC CLASSIFICATION	:	Irritant
DSD/DPD RISK (R) PHRASES	:	R22: Harmful is swallowed.
DSD/DPD SAFETY (S) PHRASES	:	S1/2: Keep locked up and out of reach of children.
		S18: Handle and open containers with care.
		S26: In case of contact with eyes, rinse immediately with plenty
		of water and seek medical advice.
		S36/S37/39: Wear suitable protective clothing, gloves and eye/face protection.
		S45: In case of accidents or if you feel unwell, seek medical
		advice immediately. Show label where possible.
		S61: Avoid release to the environment.
		S64: If swallowed, rinse mouth with water if victim is conscious.
DSD/DPD HAZARD SYMBOL	:	C: Corrosive, Xn: Harmful
CANADIAN REGULATORY INFOR	MA	TION
WHMIS CATEGORY	:	Class D2B: Materials that cause other toxic effects (TOXIC).
DOMESTIC SUBSTANCES LIST	:	Listed
(DSL)		
INGREDIENT DISCLOSURE LIST	:	Listed, This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the sds contains all of the information required by the CPR.

SECTION 16 – OTHER INFORMATION		
DISCLAIMER	: The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.	
CERCLA	: Comprehensive Environmental Response, Compensation, and Liability Act.	
EINECS	: European Inventory of Existing Commercial Chemical Substances	
IMDG	: International Maritime Code for Dangerous Goods	
IARC	: International Agency for Research on Cancer	
ΙΑΤΑ	: International Air Transportation Association	
ACGIH	: American Conference of Governmental Industrial Hygienists	
NFPA	: National Fire Protection Association (USA)	
NTP	: National Toxicology Program	
SARA	: Superfund Amendments and Reauthorization Act	
TSCA	: Toxic Substances Control Act	
HMIS	: Hazardous Materials Identification System (USA)	
WHMIS	: Workplace Hazardous Materials Information System	
LC50	: Lethal concentration, 50 percent	
LD50	: Lethal dose, 50 percent	
STOT	: Systemic Target Organ Toxicity	
DATE PREPARED	: MAR 1, 2007	
DATE REVISED	: March 28, 2018	