SAFETY DATA SHEET

GreaseBreaker

SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME SYNONYMS PRODUCT USE SUPPLIER SUPPLIER'S ADDRESS	: :	Flammable Material HYDRAMASTER CORP. 11015 47TH AVE. SE, MUKILTEO, WA 98275
EMERGENCY RESPONSE PHONE NUMBER	:	(425) 775-7272 PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION

: H302	Harmful if swallowed.
H315	Causes skin irritation
H319	Causes serious eye irritation

LABEL ELEMENTS	:	GHS – US HA	
HAZARD PICTOGRAMS	:		
SIGNAL WORD	:	WARNING	
HAZARD STATEMENTS (GHS-US)			
	:	H226	Flammable liquid and vapor
	:	H303	May be harmful if swallowed.
	:	H315	Causes skin irritation.
	:	H317	May cause an allergic skin reaction
	:	H319	Causes serious eye irritation.
	:	H400	Very toxic to aquatic life.
PRECAUTIONARY STATEMENTS (SGS	S-US)	
PREVENTION	:	P101	If medical advice is needed, have product container or label at hand.
	:	P102	Keep out of reach of children.
	:	P103	Read label before use.
	:	P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking.
	:	P233	Keep container tightly closed.
	:	P240	Ground/bond container and receiving equipment.
	:	P241	Use explosion proof electrical/ventilation/lightequipment
	:	P242	Use only non-sparking tools.
	:	P243	Take precautionary measures against static discharge.
	:	P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
	:	P264	Wash skin and contaminated clothing thoroughly after handling.
	:	P270	Do not eat, drink or smoke when using this product.
	:	P271	Use only outdoors or in a well ventilated area.
	:	P280	Wear suitable protective gloves/protective clothing/eye protection/face protection.
RESPONSE	:	P305+P351	IF IN EYES: Rinse cautiously with water for several minutes. Remove
		+P338	contact lenses if present and easy to do – continue rinsing.
	:	P337+P313	If eye irritation persists, get medical attention.

STORAGE	 P303+P361 IF ON SKIN: Remove/Take off immediately all contaminated clothing.
DISPOSAL	
NFPA ratings (scale 0-4):	 D-Limonene: Combustible Liquid, Target Organ Effect, Skin Sensitizer, Irritant Not applicable. NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme. Health = 2, Fire = 0, Reactivity = 0 Health = 2, Fire = 0, Reactivity = 0 NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme. MFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme. MEPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme. MEPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme. MEPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC DESCRIPTION : Mixtures

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
D-Limonene (Citrus Terpenes)	40-50	5989-27-5	227-813-5	Flam Liq Cat 3, Acute Tox Oral Cat 5,
				Skin Irrit Cat 2, Eye Irrit Cat 2A,
				Skin Sens Cat 1, Acute Tox Aquatic Cat 1
Mineral Spirits Odorless	40-50	64741-65-7	265-067-2	Flam Liq Cat 3, Acute Tox Inhal Cat 4,
		64742-48-9	265-150-3	Skin Irrit Cat 2, Eye Dam Cat 2B, STOT-SE
				Cat 3, Aspiration Haz Cat 1
Alcohol Ethoxylate	1-5	127087-87-0	500-315-8	Eye Dam Cat 1

Irrit = Irritation, Cor = Corrosive, Dam = Damage, Cat = Category, Tox = Toxic, Sens = Sensitisation, Flam = Flammable, STOT-SE = Specific Target Organ Toxicity-Single Exposure, Inhal = Inhalation.

SECTION 4 – FIRST AID MEASURES				
EYE CONTACT	: Immediately flush eyes with low pressure water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. If irritation persists, get immediate medical attention.			
SKIN CONTACT	 Remove contaminated clothing and shoes. Wash affected skin area with soap and water. If irritation persists, get immediate medical attention. Wash contaminated clothing before reuse. 			
SWALLOWING (INGESTION)	: If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING.			

	If vomiting occurs spontaneously, keep airway clear and have victim lean forward to prevent aspiration. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.
INHALATION	: Remove to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or artificial respiration as needed.
OTHER INSTRUCTIONS	: Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA CONDITIONS OF FLAMMABILITY SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS	 Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat, sparks, open flames and hot surfaces. No smoking. Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Keep unopened containers cool by spraying with water 		
FURTHER INFORMATION HAZARDOUS COMBUSTION PRODUCTS	Use water spray to cool unopened containers.Carbon oxides		
SECTION 6 – ACCIDENTAL RELEASE MEASURES			

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES	:	Do not inhale vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
ENVIRONMENTAL PROCEDURES METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP	:	Keep spilled material away from sewage/drainage systems and waterways. All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the
		source of the leak if conditions are safe. Collect with an electrically protected vacuum cleaner or by wet-brushing and place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE			
PRECAUTIONS FOR SAFE HANDLING ENVIRONMENTAL PRECAUTIONS CONDITIONS FOR SAFE STORAGE	 Do not get on skin or in eyes. Do not inhale vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge. Stop leak. Contain spill if possible and safe to do so. Prevent product from entering drains. Keep container tightly closed in a cool, dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available. 		

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT		OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
D-Limonene (Citrus Terpenes)		Not Established	Not Established	Not Established
Odorless Mineral Spirits		400 ppm	Not Established	Not Established
Alcohol Ethoxylate		Not Established	Not Established	Not Established
EYE PROTECTION	eq	e chemical safety goggles and/or uipment approved by appropria 166 (EU) Maintain eye wash four	te government standards,	such as NIOSH (US) or
SKIN PROTECTION		ear impervious, flame retardant wes, lab coat, apron or coveralls,		
RESPIRATORY PROTECTION	res cai pro tes	nere risk assessment shows air-p pirator with multi-purpose com tridges as a backup to engineer otection, use a full-face supplied ted and approved under approp CEN (EU).	bination (US) or type ABE ing controls. If the respirat air respirator. Use respir	(EN 14387) respirator or is the sole means of ators and components
HAND PROTECTION	glo	ndle with gloves. Gloves must be wes after use in accordance wit ash and dry hands.		-
APPROPRIATE ENGINEERING CONTROLS	lin	neral room or local exhaust ve it(s). Electrical equipment sho ectrical code.	<i>i i</i>	
ADDITIONAL MEASURES		nergency eyewash and safety mediate work area.	shower facilities should	be available in the
REQUIRED WORK/HYGIENE		ash hands thoroughly after hand d feed. Do not eat, drink or smok		food stuffs, beverages

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE ODOR ODOR THRESHOLD PH MELTING POINT/FREEZING POINT	::	
BOILING POINT	:	Approx. 212° F.
FLASH POINT	:	118°F (48°C) closed cup.
EVAPORATION RATE	:	Not available
FLAMMABILITY	:	Combustible liquid. By air or international: Flammable Liquid.
LOWER FLAMMABILITY LIMIT	:	0.7 % (V)
UPPER FLAMMABILITY LIMIT	:	6.1 % (V)
VAPOR PRESSURE	:	Not available
VAPOR DENSITY (AIR=1)	:	Not available
RELATIVE DESNITY	:	0.84
SOLUBILITY IN WATER	:	Soluble in water
PARTITION COEFFICIENT n-	:	Not available
OCTANOL/WATER		
AUTOIGNITION TEMPERATURE	:	Not available
DECOMPOSITION	:	Not available
TEMPERATURE		

SECTION 10 - STABILITY AND REACTIVITY

STABILITY HAZARDOUS CONDITONS TO AVOID	:	Stable under recommended storage conditions. Heat, flames, and sparks. Extreme temperatures and direct sunlight.
INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS	:	Strong oxidizing agents. Carbon oxides are expected to be, under fire conditions, the primary hazardous decomposition products.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION ACUTE TOXICITY IRRITATION BIOACCUMULATION CARCINOGENICITY	D-Limonene (Citrus Terpenes) LD50 Oral (rat): >5000 mg/kg. LD50 Dermal (rabbit): >5,000 mg/kg, RD50 I (mice): > 1,000 mg/kg. Prolonged or repeated exposure can cause drying or dermatitis of skin. No appreciable bio-concentration is expected in the environment. This product is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP	
TOXICOLOGICAL INFORMATION ACUTE TOXICITY IRRITATION EFFECTS	Odorless Mineral Spirits LD50 Oral (rat): > 2,000 mg/kg. LD50 Dermal (rabbit): > 2,000 mg/kg. LC50 (rat): Near saturated vapor concentration: 1 hr. EYE EFFECTS: Essentially non-irritating to eyes. SKIN EFFECTS: May cause moderate irritation to skin. Prolonged/repeat may cause defatting of the skin which can lead to dermatitis. REPEATED DOSE EFFECTS: Cardiovascular system: chronic abuse of simila has been associated with irregular heart rhythms and cardiac arrest. Cent system: repeated exposure affects the nervous system. Kidney: caused kid in male rats which are not considered relevant to humans.	ed contact ar materials ral nervous
BIOACCUMULATION CARCINOGENICITY	No appreciable bio-concentration is expected in the environment. This product is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP	
TOXICOLOGICAL INFORMATION ACUTE TOXICITY INHALATION LC50 DERMAL LD50 PRIMARY SKIN IRRITATION PRIMARY EYE IRRITATION CARCINOGENICITY	Ethoxylated Alcohol LD50 Oral (rat: 16,000 mg/kg, No data available LD50 Dermal (rabbit): 4,490 mg/kg. Slight irritation. No data available. This product is not considered to be a carcinogen by IARC, ACGIH, NTP or 0	

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION ECOTOXICITY	:	D-Limonene (Citrus Terpenes) There is no information available at this time for this product. However, a spill may produce significant toxicity to aquatic organisms and ecosystems. Some studies have shown that certain bacteria and fungi have the ability to degrade citrus terpenes, decreasing their toxicity to fish. When spilled, this product may act as an oil, causing a film, sheen, emulsion or sludge at or beneath the surface of a body of water
MOBILITY	:	Citrus Terpenes volatize rapidly.
PERSISTENCE AND DEGRADABILITY	:	Readily biodegradable.
BIOACCUMULATIVE POTENTIAL	:	Bio-concentration is not expected to occur.

ECOLOGICAL INFORMATION ACUTE TOXICITY	 Odorless Mineral Spirits Acute Toxicity for Naphtha (Petroleum), Heavy Alkylate: Fish: Low toxicity: LC/EC/IC50 greater than 1000 mg/l Aquatic Invertebrates: Low toxicity: LC/EC/IC50 greater than 1000 mg/l Algae: Low toxicity: LC/EC/IC50 greater than 1000 mg/l Microorganisms: Low toxicity: LC/EC/IC50 greater than 1000 mg/l
ENVIRONMENTAL DATA	 Oxidizes rapidly by photo-chemical reactions in air. Expected to be not inherently biodegradable.
ECOTOXICOLOGICAL INFORMATION BIOACCUMULATIVE POTENTIAL	 Avoid uncontrolled releases of this material. Where spills are possible, a comprehensive spill response plan should be developed and implemented. Has potential to bio-accumulate.
ECOLOGICAL INFORMATION ECOTOXICITY PERSISTENCE AND DEGRADABILITY BIOACCUMULATIVE POTENTIAL	 Ethoxylated Alcohol Not available. No data available. No data available.
	SECTION 13 – DISPOSAL CONSIDERATIONS
WASTE DISPOSAL	: This product must be disposed of in accordance with Federal, state and local environmental regulations. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.
	SECTION 14 – TRANSPORTATION INFORMATION
DOT/IMDG/ IATA PROPER SHIPPING NAME HAZARD CLASS AND LABEL UN NUMBER PACKAGING GROUP EPA REPORTABLE QUANTITY	 UN-1993, Combustible Liquids, N.O.S. (Petroleum Distillates, Terpene Hydrocarbons) 3, PG-III (When shipped by air or international) 3 (Flammable Liquid)(When shipped by air or international) UN-1993 (When shipped by air or international) PG - III (when shipped air or international) Not Applicable.
(RQ) MARINE POLLUTANT EMERGENCY RESPONSE GUIDE	: D-limonene: Dipentene, : ERG-128

SECTION 15 – REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information.

U.S. FEDERAL REGULATORY INFORMATION:		
LISTED CARCINOGEN	: Not listed.	
TSCA STATUS	: The ingredients of this product are listed in TSCA inventory (40CFR 710.)	
SARA SECTION 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA SECTION 313	: This material does not contain any chemical components with known CAS numbers that exceed thethreshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
CERCLA	: No chemicals in this material with known CAS numbers are subject to the reporting requirements of CERCLA.	
NFPA HEALTH	: 2	
NFPA FLAMMABILITY	: 2	

: 0

NFPA REACTIVITY

EUROPEAN UNION REGULATORY	INF			
EC CLASSIFICATION	:	Combustible, Irritant		
DSD/DPD RISK (R) PHRASES	:	R22: Harmful is swallowed.		
		R36: Irritating to skin.		
DSD/DPD SAFETY (S) PHRASES	:	S2: Keep out of reach of children.		
		S7: Keep container tightly closed.		
		S16: Keep away from sources of ignition – No smoking		
		S24/25: Avoid contact with eyes and skin.		
		S26: In case of contact with eyes, rinse immediately with		
		plenty of water and seek medical advice.		
		S36/S37/39: Wear suitable protective clothing, gloves and		
		eye/face protection.		
		S45: In case of accidents or if you feel unwell, seek medical	• • 1	
		advice immediately. Show label where possible.		
		S61: Avoid release to the environment.		
		S62: If swallowed, do not induce vomiting.		
		S64: If swallowed, rinse mouth with water if victim is		
		conscious.		
DSD/DPD HAZARD SYMBOL		F: Flammable, Xi: Irritant		
DOD/DI D HALAND STWEEL	•			
CANADIAN REGULATORY INFORM	ЛАТ	ION:		
WHMIS CATEGORY	:	B3: Combustible Liquid (D-Limonene & Mineral Spirits		
		Odorless).		
			L (7)	
	:	D2B: Materials that cause other toxic effects (TOXIC). D-	\frown	
		Limonene		
DOMESTIC SUBSTANCES LIST	:	Listed		
(DSL)				
INGREDIENT DISCLOSURE LIST	:	Listed		

SECTION 16 – OTHER INFORMATION

DISCLAIMER :	The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.
CERCLA :	Comprehensive Environmental Response, Compensation, and Liability Act.
EINECS :	European Inventory of Existing Commercial Chemical Substances
IMDG :	International Maritime Code for Dangerous Goods
IARC :	International Agency for Research on Cancer
IATA :	International Air Transportation Association
ACGIH :	American Conference of Governmental Industrial Hygienists
NFPA :	National Fire Protection Association (USA)
NTP :	National Toxicology Program
SARA :	Superfund Amendments and Reauthorization Act
TSCA :	Toxic Substances Control Act
HMIS :	Hazardous Materials Identification System (USA)

WHMIS LC50 LD50 STOT DATE PREPARED DATE REVISED

- : Workplace Hazardous Materials Information System
- : Lethal concentration, 50 percent
- : Lethal dose, 50 percent
- : Systemic Target Organ Toxicity
- : JAN 12, 2011
- : March 28, 2018