SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME:.....MULTIPHASE DEODORANT

SYNONYMS:....Product is a mixture: No synonyms are available.

SUPPLIER'S ADDRESS:11015 47TH AVE W, MUKILTEO, WA 98275, (425) 776-7272

EMERGENCY RESPONSE NUMBER: .PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

GHS PRODUCT CLASSIFICATION: Skin corrosion/irritation Category 2

Serious eye damage/irritation Category 2A

Toxicity - Acute, oral Category 4

SIGNAL WORD:DANGER

GHS PHYSICAL HAZARD STATEMENT: H290: May be corrosive to metals.

GHS HEALTH HAZARD STATEMENT: H315: Causes skin irritation and eye damage.

H302: Harmful if swallowed.

GHS LABEL ELEMENTS:The product is classified and labeled according to the Globally Harmonized System

(GHS).

PRECAUTIONARY STATEMENT: P260: Do not breathe mist, vapors, spray

P264: Wash exposed skin thoroughly after handling.

P280: Wear protective gloves, protective clothing, eye protection, face

protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth, Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN: (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents/container to comply with local, state and federal

regulations.

CLASSIFICATION SYSTEM: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA ratings (scale 0-4):Health = 2, Fire = 0, Reactivity = 0

HMIS ratings (scale 0-5):Health = 2, Fire = 0, Reactivity = 0

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

Chemical characterization:Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	GHS CLASS
Isopropanol	1-5	144-62-7	205-634-3	Acute Toxicity Oral & Dermal Category 4
Alcohol Ethoxylate	1-5	68439-46-3	Not Established	Skin Irr. Cat. 2, Eye Dam. Cat 2B
Citric acid	< 1	77-92-9	201-069-1	Skin Corrosion Category 1C

Dam. = Damage, Irr. = Irritation, Cat. = Category

SECTION 4 – FIRST AID MEASUR	-	

EYE CONTACT:	Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Get immediate medical attention. Do not apply neutralizing agents.
SKIN CONTACT:	Remove contaminated clothing and shoes immediately. Wash affected skin area with
	soap and water. Delayed skin damage is possible if product is not completely washed off. Get immediate medical attention.
SWALLOWING (INGESTION):	If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. Immediately call Poison Control Center. Take container or container label to the doctor or hospital. Never give anything by mouth to an unconscious person.
INHALATION:	Remove to fresh air.
OTHER INSTRUCTIONS:	Use personal protective equipment. Avoid contact with skin, eyes and clothing.

SECTION 5 – FIRE FIGHTING MEASURES

AND PRECATUIONS FOR FIRE FIGHTERS: In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area. Cool tanks/drums with water spray. Dilute toxic gasses with water spray.

UNUSUAL FIRE AND

EXPLOSION HAZARDS: May react with strong oxidizers and strong reducers. Reacts with chlorine compounds to product toxic gas.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT

AND EMERGENCY PROCEDURES: ...Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL PRECAUTIONS:..Keep spilled material away from sewage/drainage systems and waterways. **METHODS AND MATERIALS FOR**

WETHODS AND WATERIALS FOR

CONTAINMENT AND CLEAN UP:All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Use with adequate ventilation. Wear proper protective equipment. Do not mix with other compounds to prevent a potentially violent reaction.

CONDITIONS FOR SAFE STORAGE:..Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE):The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	USA OSHA PEL – TWA	USA ACGIH TWA	USA ACGIH – STEL			
Oxalic acid	1 mg/m³	1mg/m³	3mg/m ³			
Citric acid	Not Established	Not Established	Not Established			
EYE PROTECTION:	Wear chemical splash goggle	es or safety glasses.				
SKIN PROTECTION:Minimize contact with product. Wear suitable long-sleeved clothing.						
RESPIRATORY PROTECTION:						
	exposure, use respiratory protective device that is independent of circulating air.					
VENTILATION:	Ensure adequate ventilation					
ADDITIONAL MEASURES:	Emergency eyewash and sa	fety shower facilities sho	ould be available in the immediate			
	work area.					
REQUIRED WORK/HYGIENE:	Wash hands thoroughly after	er handling. Keep away f	rom all food stuffs, beverages and			
	feed. Do not eat, drink or sm	oke in work area.				

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:Clear colorless liquid with mild odor. ODOR:Mild odor. ODOR THRESHOLD:.....Not Available **pH:.....** < 2.0 as is MELTING POINT/FREEZING POINT: Not available BOILING POINT:Not available FLASHPOINT:Not applicable **EVAPORATION RATE:....**Not Available FLAMMABILITY:Non flammable, non combustible LOWER FLAMMABILITY LIMIT: Not applicable UPPER FLAMMABILITY LIMIT:Not applicable VAPOR PRESSURE:Not Available VAPOR DENSITY (AIR=1):Not determined **RELATIVE DENSITY:**1.05 SOLUBILITY IN WATER:Soluble in water PARTITION COEFFICIENT n-OCTANOL/WATER: Not Available **AUTOIGNITION TEMPERATURE:.....**Not Available **DECOMPOSITION TEMPERATURE: .**Not Available

SECTION 10 – STABILITY AND REACTIVITY

STABILITY:.....Stable under recommended storage conditions.

HAZARDOUS CONDITIONS TO AVOID: Avoid direct sunlight, extremely high or low temperatures.

INCOMPATIBLE MATERIALS:Chlorinated products such as bleach, alkaline materials, metals, metal powder, carbides, chlorates, fumigates, nitrates, picrates, strong oxidizers, reducing or combustible organic material. Hazardous gases are evolved on contact with chemicals such as chlorine bleach, cyanides, sulfides and carbides.

HAZARDOUS DECOMPOSITION PRODUCTS: Phosphorous oxides. Carbon monoxide. Carbon dioxide. Thermal decomposition generates: Corrosive vapors.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Oxalic Acid

Acute Oral Toxicity:LD50 (rat) is 375 mg/kg; not acutely toxic by oral exposure. (TFI Product Testing Results,

OECD Guideline 425).

ACUTE DERMAL TOXICITY:Mild skin irritation

ACUTE INHALATION TOXICITY:......Not established

CARCINOGENICITY:No data available, IARC: No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed human carcinogen by

IARC.

ACUTE FISH TOXICITY:Not Established.

TOXICOLOGICAL INFORMATION: ...Alcohol Ethoxylate

ACUTE TOXICITY:Oral LD50 (Rat) 1,378 mg/kg, Dermal LD50 (Rat) >5,000 mg/kg, Inhalation LC50 No data

Primary skin irritation (Rabbit: Moderately to severely irritating, Primary eye irritation

(Rabbit: Severely irritating.

SECTION 12 - ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:

AQUATIC TOXICITY:Mild water pollutant (surface water). May cause eutrophication. Toxic to plankton.

Slightly harmful to bacteria. Slightly harmful to aquatic organisms. pH shift. Insufficient

data available on eco-toxicity. LC50/96hour:138mg/L (Gambusia Afinis).

PERSISTENCE AND DEGRADABILITY: No relevant information available.

BIOACCUMULATIVE POTENTIAL:.... No relevant information available.

undiluted product or large quantities of this product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or un-neutralized. Rinsing larger amounts into drains or the aquatic environment may lead

to decreased pH-values. A low pH-value harms aquatic organisms.

ECOLOGICAL INFORMATION:Alcohol Ethoxylate

AQUATIC TOXICITY:LC50 (Fish toxicity, *Rainbow trout*)1-10 mg/l, 96hr. Value estimated from tests on similar products. LC50 (Fish toxicity, *Fathead minnow*) 6 mg/l, 96hr. Value estimated from tests

on similar products.

EC50 (Aquatic invertebrate toxicity, Daphnia 1-10 mg/l, 48hr. Value estimated from tests

on similar products.

EC50 (Algae toxicity, Skeletonema costatum) 1-10 mg/l, 72hr. Value estimated from tests

on similar products.

EC50 (Bacterium toxicity, *Nitrifying bacteria*) 410 mg/l, 4hr. Value estimated from tests on similar products.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:.....This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER SHIPPING NAME: N/A

HAZARD CLASS AND LABEL:N/A **UN NUMBER:....**N/A PACKAGING GROUP:.....N/A **EPA REPORTABLE QUANTITY (RQ): N/A** MARINE POLLUTANT:Not listed. **EMERGENCY RESPONSE GUIDE:N/A**

SECTION 15 - REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION:

CLASSIFICATION:..... Irritant SIGNAL WORD:Warning

H STATEMENTS:H315: Causes skin irritation and eye damage.

H302: Harmful if swallowed.

P STATEMENTS:P260: Do not breathe mist, vapors, spray

P264: Wash exposed skin thoroughly after handling.

P280: Wear protective gloves, protective clothing, eye protection, face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth, Do NOT induce vomiting. P303+P361+P353: IF ON SKIN: (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor. P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents/container to comply with local, state and federal regulations.

HAZARD PICTOGRAMS:....



U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN:.....Not listed.

TSCA STATUS:The ingredients of this product are listed on TSCA inventory (40CFR 710.)

SARA SECTION 302:.....None

SARA SECTION 312:.....Acute health hazard.

SARA SECTION 313:.....Not listed

EUROPEAN UNION REGULATORY INFORMATION:

DSD/DPD RISK (R) PHRASES:R36/38: Irritating to eyes and skin. R25: Toxic if swallowed.

DSD/DPD SAFETY (S) PHRASES:S18: Handle and open containers with care.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S37/39: Wear suitable gloves and eye/face protection.

S61: Avoid release to the environment.

S64: If swallowed, rinse mouth with water if victim is conscious.

DSD/DPD HAZARD SYMBOL:.....N/A CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY:Class D Division 2 Subdivision B-Toxic Material: D-2B.

DOMESTIC SUBSTANCES LIST (DSL): Listed **INGREDIENT DISCLOSURE LIST:**Listed



SECTION 16 – OTHER INFORMATION

FOOT NOTES:

IMDG:International Maritime Code for Dangerous Goods

DOT:US Department of Transportation

IATA:.....International Air Transportation Association

ACGIH:American Conference of Governmental Industrial Hygienists

NFPA:.....National Fire Protection Association (USA)

HMIS:......Hazardous Materials Identification System (USA)

LC50:....Lethal concentration, 50 percent

LD50:Lethal dose, 50 percent

TOST:Target Organ Systemic Toxicity

DATE PREPARED:JAN 12, 2011 **DATE REVISED:**March 28, 2018