SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME	:	POLYBREAK
SYNONYMS	:	Product is a mixture: No synonyms are available.
PRODUCT USE	:	Moderately Alkaline Material
SUPPLIER	:	HYDRAMASTER CORP.
SUPPLIER'S ADDRESS	:	11015 47TH AVE W, MUKILTEO, WA 98275
		(425) 776-7272
EMERGENCY RESPONSE PHONE	:	PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION	: H302 H315 H319	Harmful if swallowed. Causes skin irritation Causes serious eye irritation
LABEL ELEMENTS	: GHS – U	S HAZARD PICTOGRAMS The product is classified and labeled according to the Globally Harmonized System (GHS).
HAZARD PICTOGRAMS		
SIGNAL WORD	: WARNIN	G
HAZARD STATEMENTS (GHS-US)	:	Not established
	: H302	Harmful if swallowed.
	: H315	Causes skin irritation.
	: H319	Causes serious eye irritation.
PRECAUTIONARY STATEMENTS (GHS-US)	: P101	If medical advice is needed, have product container or label at hand.
	: P102	Keep out of reach of children.
	: P103	Read label before use.
	: P264	Wash skin and contaminated clothing thoroughly after handling.
	: P270	Do not eat, drink or smoke when using this product.
	: P280	Wear suitable protective gloves/protective clothing/eye
		protection/face protection.
	: P301+ P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	: P302+P35	
	: P305+351	
	P338	contact lenses, if present and easy to do. Continue rinsing.
	: P332+P31	
	: P337+P31	
	: P501	Dispose of contents/container in accordance with
		local/regional/national/international regulations
CLASSIFICATION SYSTEM NFPA RATINGS (SCALE 0-4) HMIS RATINGS (SCALE 0-5)	: Health = 2	IIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme. 2, Fire = 0, Reactivity = 0 2, Fire = 0, Reactivity = 0

SECTION 3 - COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC DESCRIPTION

•

:

Mixtures

Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EINECS #	GHS CLASSIFICATION
Sodium Metasilicate		6834-92-0	229-912-9	Skin Corr: Cat 1C, Eye Corr. Cat 1
Ethylenediamine Tetraacetate Na salt		64-02-8	200-573-9	Skin Irrit Cat 2, Eye Dam Cat 2A
Sodium Xylene Sulfonate		1300-72-7	215-090-9	Skin Irrit Cat 2, Eye Irrit Cat 2A
Diethylene Glycol Monobutyl Ether		112-34-5	203-961-6	Eye Irrit Cat 2B
Methyl-oxirane polymer with oxirane		9003-11-6	Not Found	No need for classification according to GHS criteria for this product.
Acrylate Copolymer, Sodium salt	1-5	Trade Secret	N/A	Not Found

Irrit. = Irritation, Corr. = Corrosion, Cat. = Category, Dam = Damage, Tox = Toxic, STOT SE = Single Target Organ Toxicity Single exposure.

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES **GENERAL** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible. EYE CONTACT Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to : ensure adequate flushing. Get immediate medical attention. **SKIN CONTACT** Remove contaminated clothing and shoes. Wash affected skin area with soap and : water. Delayed skin damage is possible if product is not completely washed off. Get immediate medical attention. SWALLOWING (INGESTION) If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention. INHALATION Remove to fresh air. Get immediate medical attention. : **OTHER INSTRUCTIONS** Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS	 Dry chemical, foam, water or carbon dioxide. In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area.
UNUSUAL FIRE AND EXPLOSION HAZARDS	: No further relevant information is available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES	:	Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
ENVIRONMENTAL PROCEDURES	:	Keep spilled material away from sewage/drainage systems and waterways.
METHODS AND MATERIALS FOR	:	All clean-up personnel must be properly trained. Confine the spill and remove
CONTAINMENT AND CLEAN-UP		incompatible materials and ignition sources. Ensure adequate ventilation. Secure the

source of the leak if conditions are safe. Neutralize spill and collect using an

appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE		
PRECAUTIONS FOR SAFE HANDLING	: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.	
CONDITIONS FOR SAFE STORAGE	: Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.	

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Sodium Metasilicate	8hr Recommended: 3mg/m ³	Not Established	Not Established
Ethylenediamine Tetraacetate (EDTA)	Not Established	Not Established	Not Established
Sodium Xylene Sulfonate	Not Established	Not Established	Not Established
Diethylene Glycol Monobutyl Ether	Not Established	Not Established	Not Established
Methyl-oxirane polymer with oxirane	Not Established	Not Established	Not Established
Acrylate Copolymer, Sodium salt	Not Established	Not Established	Not Established

EYE PROTECTION SKIN PROTECTION	 Wear chemical splash goggles or face shield. Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.
RESPIRATORY PROTECTION	: In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
VENTILATION	: Ensure adequate ventilation.
ADDITIONAL MEASURES	: Emergency eyewash and safety shower facilities should be available in the immediate work area.
REQUIRED WORK/HYGIENE	: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE ODOR ODOR THRESHOLD PH MELTING POINT/FREEZING	 Free flowing powder with mild odor. Not available > 13.5 Not available
POINT BOILING POINT FLASH POINT EVAPORATION RATE	 212° F. Above 200 Degr. F Not available
FLAMMABILITY	: Non flammable-Non combustible

LOWER FLAMMABILITY LIMIT	:	Not available
UPPER FLAMMABILITY LIMIT	:	Not available
VAPOR PRESSURE	:	Not available
VAPOR DENSITY (AIR=1)	:	Not available
RELATIVE DESNITY	:	1.03
SOLUBILITY IN WATER	:	Soluble in water
PARTITION COEFFICIENT n-	:	Not available
OCTANOL/WATER		
AUTOIGNITION TEMPERATURE	:	Not available
DECOMPOSITION	:	Not available
TEMPERATURE		

SECTION 10 - STABILITY AND REACTIVITY

STABILITY HAZARDOUS CONDITONS TO AVOID		Stable under recommended storage conditions. No decomposition if used according to specifications
INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS	:	Keep away from strong acids. No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION ACUTE TOXICITY CHRONIC TOXICITY CARCINOGENICITY	::	Sodium Metasilicate LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse) No data were available regarding chronic exposure, reproductive or teratological effects, or carcinogenicity for sodium metasilicate. This product is not classified as a carcinogen by NTP, IARC or OSHA.
TOXICOLOGICAL INFORMATION ACUTE TOXICITY INHALATION LC50 DERMAL LD50 OTHER INFORMATION ON ACUTE TOXICITY	::	Ethylenediamine Tetraacetate (EDTA) LD50 Oral (rat): 630 - 1,260 mg/kg, No data available No data available No data available
TOXICOLOGICAL INFORMATION ROUTES OF ENTRY ACUTE TOXICITY CHRONIC EFFECTS ON HUMANS SPECIAL REMARKS ON TOXICITY TO ANIMALS	::	Sodium Xylene Sulfonate Absorbed through skin and/or eye contact. LD50 Oral (rat): 2500 mg/kg, Contains material which may cause damage to the following organs: liver TDL (rat): Route: skin; Dose: 3380 mg/kg/17D intermittent; Toxic effects: changes in liver weight TDL (rat): Route: skin; Dose: 35 gm/kg/14W intermittent; Toxic effects: dermatitis, other (skin and appendages). (Sodium Xylene Sulfonate).
TOXICOLOGICAL INFORMATION ACUTE TOXICITY CHRONIC EFFECTS SENSITISATION CARCINOGENICITY	::	Diethylene Glycol Monobutyl Ether Oral LD50 Oral (rat): 5560 mg/kg. LC50 dermal and inhalation: Not listed. Prolonged absorption causes liver and kidney damage, and red cell haemolysis (blood in urine) in laboratory animals; no such effects have been seen in humans Not a sensitizer. No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and OSHA.
TOXICOLOGICAL INFORMATION	:	Methyl-oxirane polymer with oxirane

ACUTE ORAL TOXICITY SKIN AND EYE IRRITATION SENSITISATION SYMPTOMS OF EXPOSURE	 LD50 Oral (rat): > 2000 mg/kg, LD50 Dermal (rabbit): 10,200 mg/kg Draize Test: Eyes: Non irritant, Skin: Non irritant. Skin sensitizing effects were not observed in animal studies. No significant symptoms are expected due to the non-classification of the product.
TOXICOLOGICAL INFORMATION ACUTE TOXICITY	 Acrylate Copolymer, Sodium salt Not determined. Similar products tested for LD50 limit values are greater than 10,000 mg/kg. TLV: Not determined.
EFFECTS OF ACUTE OVER EXPOSURE	 Ingestion: Nausea may occur. Inhalation: Prolonged exposure may produce headaches, and mucous membrane irritation. Skin Contact: Direct contact may cause irritation. Eye Contact:
EFFECTS OF CHRONIC OVER EXPOSURE	: None determined.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION ECOTOXICITY (Aquatic Toxicity)	:	Sodium Metasilicate This material has exhibited moderate toxicity to aquatic organisms.
BIODEGRADATION	:	This material is inorganic and not subject to biodegradation.
PERSISTENCE	:	This material is believed to persist in the environment.
BIOCONCENTRATION	:	This material is not expected to bio-concentrate in organisms.
ECOLOGICAL INFORMATION	:	Ethylenediamine Tetraacetate
ECOTOXICITY	:	No data available.
PERSISTENCE AND	:	No data available.
DEGRADABILITY		
BIOACCUMULATIVE POTENTIAL	:	No data available.
ECOLOGICAL INFORMATION	:	Sodium Xylene Sulfonate
ECOTOXICITY	:	Not available
BOD5 AND COD	:	Not available
PRODUCTS OF	:	Possibly hazardous short term degradation products are not likely. However, long
BIODEGRADATION		term degradation products may arise.
TOXICITY OF THE PRODUCTS OF BIODEGRADATION	:	: The product itself and its products of degradation are not toxic.
ECOLOGICAL INFORMATION	:	Diethylene Glycol Monobutyl Ether
ΕCOTOXICITY	:	This product cannot accumulate in living tissue; diluted, this product is readily and rapidly in a wastewater treatment facility; in BOD test, 88% degraded in 28 says; half-life in air estimated as 10 hours.
PERSISTENCE AND DEGRADABILITY	:	No data available.
ECOLOGICAL INFORMATION	:	Methyl-oxirane polymer with oxirane
ΕCOTOXICITY	:	Toxicity to fish: LC50 (96 h) 105 mg/l, Oncorhynchus mykiss Aquatic invertebrates: EC50 (48 h) 1,033 mg/l, Daphnia magna Aquatic plants: EC50 (72 h) 370 mg/l, algae
PERSISTENCE AND BIODEGRADABILITY	:	Assessment: Readily biodegradable (according to OECD criteria)
MOBILITY	:	The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is possible.
ECOLOGICAL INFORMATION	:	Acrylate Copolymer, Sodium salt
ECOTOXICITY	:	If this product becomes a waste, it does not exhibit the properties of ignitability,

corrosivity, reactivity or environmentally persistent toxicity. The material should not be flushed into any sewer system. This product should not be released to the environment without chemical treatment by flocculation / precipitation.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL
 This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER SHIPPING NAME	:	Not Hazardous
HAZARD CLASS AND LABEL	:	Not Applicable.
UN NUMBER	:	Not Applicable.
PACKAGING GROUP	:	Not Applicable.
EPA REPORTABLE QUANTITY	:	Not Applicable.
(RQ)		
MARINE POLLUTANT	:	Not listed.
EMERGENCY RESPONSE GUIDE	:	Not Applicable.

SECTION 15 – REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

U.S. FEDERAL REGULATORY INFORMATION:

U.S. FEDERAL REGULATORY INFO	RM/	ATION:
LISTED CARCINOGEN	:	Not listed.
TSCA STATUS	:	The ingredients of this product are listed in TSCA inventory (40CFR 710.)
SARA SECTION 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA SECTION 312	:	Chronic health hazard (Glycol Ether DPM).
SARA SECTION 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
NFPA HEALTH	:	2
NFPA FLAMMABILITY	:	0
NFPA REACTIVITY	:	0
EUROPEAN UNION REGULATORY	INF	ORMATION:
EC CLASSIFICATION	:	Non Hazardous
DSD/DPD RISK (R) PHRASES	:	R22: Harmful is swallowed.
		R36/38: Irritating to eyes and skin.
DSD/DPD SAFETY (S) PHRASES	:	S1/2: Keep locked up and out of reach of children.
		S24/25: Avoid contact with eyes and skin.
		S26: In case of contact with eyes, rinse immediately with
		plenty of water and seek medical advice.

DSD/DPD HAZARD SYMBOL	 S36/S37/39: Wear suitable protective clothing, gloves and eye/face protection. S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible. S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting. S64: If swallowed, rinse mouth with water if victim is conscious. Xi: Irritant 	
CANADIAN REGULATORY INFORM	ATION:	
WHMIS CATEGORY	: D2B: Materials that cause other toxic effects (TOXIC).	\frown
DOMESTIC SUBSTANCES LIST (DSL)	: Listed	(T)

INGREDIENT DISCLOSURE LIST : Listed

U

	SECTION 16 – OTHER INFORMATION
DISCLAIMER	: The information contained herein has been compiled from sources believed to b realiable and accurate to the best of our knowledge at this date. It is provide without warranty, expressed or implied, as to the results of use of this informatio or to the product to which it relates. Hydramasteer Corp. assumes no responsibilit for injury to any person or property resulting from any use of the material. Each use assumes the risk in their use of this product and should review the data an recommendations in the specific context of their intended use.
CERCLA	: Comprehensive Environmental Response, Compensation, and Liability Act.
EINECS	: European Inventory of Existing Commercial Chemical Substances
IMDG	: International Maritime Code for Dangerous Goods
IARC	: International Agency for Research on Cancer
ΙΑΤΑ	: International Air Transportation Association
ACGIH	: American Conference of Governmental Industrial Hygienists
NFPA	: National Fire Protection Association (USA)
NTP	: National Toxicology Program
SARA	: Superfund Amendments and Reauthorization Act
TSCA	: Toxic Substances Control Act
HMIS	: Hazardous Materials Identification System (USA)
WHMIS	: Workplace Hazardous Materials Information System
LC50	: Lethal concentration, 50 percent
LD50	: Lethal dose, 50 percent
STOT	: Systemic Target Organ Toxicity
DATE PREPARED	: MAR 1, 2012
DATE REVISED	: March 28, 2018