

# SAFETY DATA SHEET

## SOIL BREAK

### SECTION 1- PRODUCT IDENTIFICATION

**PRODUCT NAME** : SOIL BREAK  
**SYNONYMS** : Product is a mixture: No synonyms are available.  
**PRODUCT USE** : Moderately Alkaline Material  
**SUPPLIER** : HYDRAMASTER CORP.  
**SUPPLIER'S ADDRESS** : 11015 47TH AVE W, MUKILTEO, WA 98275  
(425) 776-7272  
**EMERGENCY RESPONSE PHONE** : PERS: 1-800-633-8253

### SECTION 2 – HAZARD IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS U.S. – CLASSIFICATION** : H302 Harmful if swallowed.  
: H315 Causes skin irritation  
: H319 Causes serious eye irritation

**LABEL ELEMENTS** : **GHS – US HAZARD PICTOGRAMS** The product is classified and labeled according to the Globally Harmonized System (GHS).

**HAZARD PICTOGRAMS** :



**SIGNAL WORD** : WARNING

**HAZARD STATEMENTS (GHS-US)** : Not established

: H302 Harmful if swallowed.  
: H315 Causes skin irritation.  
: H319 Causes serious eye irritation.

**PRECAUTIONARY STATEMENTS (GHS-US)** : P101 If medical advice is needed, have product container or label at hand.

: P102 Keep out of reach of children.  
: P103 Read label before use.  
: P264 Wash skin and contaminated clothing thoroughly after handling.  
: P270 Do not eat, drink or smoke when using this product.  
: P280 Wear suitable protective gloves/protective clothing/eye protection/face protection.  
: P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
: P302+P352 : IF ON SKIN: Wash with plenty of soap and water.  
: P305+351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
: P332+P313 If skin irritation occurs: Get medical advice/attention.  
: P337+P313 If eye irritation persists: Get medical advice/attention.  
: P501 Dispose of contents/container in accordance with local/regional/national/international regulations

**OSHA HAZARDS** : Target Organ Effect (Glycol Ether DPM)

**TARGET ORGANS** : Kidney, Liver, Nerves (Glycol Ether DPM).

**CLASSIFICATION SYSTEM** : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

**NFPA RATINGS (SCALE 0-4)** : Health = 2, Fire = 0, Reactivity = 0

**HMIS RATINGS (SCALE 0-5)** : Health = 2, Fire = 0, Reactivity = 0

# SAFETY DATA SHEET

## SOIL BREAK

### SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

**CHEMICAL CHARACTERISTIC** : Mixtures  
**DESCRIPTION** : Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EINECS #	GHS CLASSIFICATION
Dipropylene glycol methyl ether	1-5	34590-94-8	252-104-2	Eye Irrit: Cat 2B
Sodium Carbonate	20-40	497-19-8	207-838-8	Skin Irrit. Cat 2, Eye Irrit. Cat 2A
Sodium Tripolyphosphate	40-60	7758-29-4	231-838-7	Skin & Inhalation Irrit. Cat 4
Sodium Metasilicate	5-10	6834-92-0	229-912-9	Skin Corr: Cat 1C, Eye Corr. Cat 1
Ethylenediamine Tetraacetate Na salt	5-10	64-02-8	200-573-9	Skin Irrit Cat 2, Eye Dam Cat 2A
Sodium Xylene Sulfonate	1-5	1300-72-7	215-090-9	Skin Irrit Cat 2, Eye Irrit Cat 2A
Alcohol Ethoxylate (91-6)	1-5	68439-46-3	Not Found	Eye Irrit Cat 2B
Protease (Enzyme)	0.1-1	9014-01-1	Not Found	Not Found

Irrit. = Irritation, Corr. = Corrosion, Cat. = Category, Dam = Damage, Tox = Toxic, STOT SE = Single Target Organ Toxicity Single exposure. Also contains non-hazardous fragrance and polyether surfactant (<1%).

### SECTION 4 – FIRST AID MEASURES

#### DESCRIPTION OF FIRST AID MEASURES

**GENERAL** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.

**EYE CONTACT** : Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Get immediate medical attention.

**SKIN CONTACT** : Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. Get immediate medical attention.

**SWALLOWING (INGESTION)** : If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.

**INHALATION** : Remove to fresh air. Get immediate medical attention.

**OTHER INSTRUCTIONS** : Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

### SECTION 5 – FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA** : Dry chemical, foam, water or carbon dioxide.

**SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS** : In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area.

**UNUSUAL FIRE AND EXPLOSION HAZARDS** : No further relevant information is available.

### SECTION 6 – ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES** : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

**ENVIRONMENTAL PROCEDURES** : Keep spilled material away from sewage/drainage systems and waterways.

**METHODS AND MATERIALS FOR** : All clean-up personnel must be properly trained. Confine the spill and remove

# SAFETY DATA SHEET

## SOIL BREAK

**CONTAINMENT AND CLEAN-UP** incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

### SECTION 7 – HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE HANDLING** : Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

**CONDITIONS FOR SAFE STORAGE** : Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.



### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

**TLV (THRESHOLD LIMIT VALUE)** : The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Dipropylene glycol methyl ether	100 ppm, 600mg/m <sup>3</sup>	100 ppm	150 ppm
Sodium Carbonate	Not Established	Not Established	Not Established
Sodium Tripolyphosphate	Not Established	Not Established	Not Established
Sodium Metasilicate	8hr Recommended: 3mg/m <sup>3</sup>	Not Established	Not Established
Ethylenediamine Tetraacetate (EDTA)	Not Established	Not Established	Not Established
Sodium Xylene Sulfonate	Not Established	Not Established	Not Established
Nonylphenol, Ethoxylate (91-6)	Not Established	Not Established	Not Established
Protease Enzyme	Not Established	Not Established	Not Established

**EYE PROTECTION** : Wear chemical splash goggles or face shield.

**SKIN PROTECTION** : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.

**RESPIRATORY PROTECTION** : In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

**VENTILATION** : Ensure adequate ventilation.

**ADDITIONAL MEASURES** : Emergency eyewash and safety shower facilities should be available in the immediate work area.

**REQUIRED WORK/HYGIENE** : Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE** : Clear colorless liquid with mild odor

**ODOR** : Lemon fragrance

**ODOR THRESHOLD** : Not available

**PH** : 11.5 ± 0.5 (1% solution)

**MELTING POINT/FREEZING POINT** : Not available

# SAFETY DATA SHEET

## SOIL BREAK

<b>BOILING POINT</b>	: Approx. 212° F.
<b>FLASH POINT</b>	: Between 100 and 200 Degr. F
<b>EVAPORATION RATE</b>	: Not available
<b>FLAMMABILITY</b>	: Non flammable-Non combustible
<b>LOWER FLAMMABILITY LIMIT</b>	: Not available
<b>UPPER FLAMMABILITY LIMIT</b>	: Not available
<b>VAPOR PRESSURE</b>	: Not available
<b>VAPOR DENSITY (AIR=1)</b>	: Not available
<b>RELATIVE DENSITY</b>	: 0.99
<b>SOLUBILITY IN WATER</b>	: Soluble in water
<b>PARTITION COEFFICIENT n- OCTANOL/WATER</b>	: Not available
<b>AUTOIGNITION TEMPERATURE</b>	: Not available
<b>DECOMPOSITION TEMPERATURE</b>	: Not available

### SECTION 10 – STABILITY AND REACTIVITY

<b>STABILITY</b>	: Stable under recommended storage conditions.
<b>HAZARDOUS CONDITIONS TO AVOID</b>	: No decomposition if used according to specifications
<b>INCOMPATIBLE MATERIALS</b>	: Keep away from strong acids.
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	: No dangerous decomposition products known.

### SECTION 11 – TOXICOLOGICAL INFORMATION

<b>TOXICOLOGICAL INFORMATION ACUTE TOXICITY</b>	: <b>Dipropylene Glycol Methyl Ether</b> LD50 values: Oral LD50: 5152 mg/kg (rat). LC50 dermal and inhalation: Not listed. Eyes: Rabbit: Mild Irritation: 25 hours.
<b>CARCINOGENICITY</b>	: No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and OSHA.
<b>TOXICOLOGICAL INFORMATION ACUTE TOXICITY SKIN CORROSION/IRRITATION SERIOUS EYE DAMAGE/IRRITATION</b>	: <b>Sodium Carbonate</b> Not Classified. LD50 values: Oral LD50: 4090mg/kg (rat). Causes skin irritation. Causes serious eye irritation.
<b>TOXICOLOGICAL INFORMATION ACUTE TOXICITY</b>	: <b>Sodium Tripolyphosphate</b> Oral - rat LD50 - 5,400 mg/kg; practically non-toxic Dermal - rabbit LD50 - > 7,940 mg/kg; practically non-toxic Eye Irritation - rabbit - 3.3/110.0; slightly irritating Skin Irritation - rabbit - 0-0/8.0 (24-hr exp.); not irritating Inhalation - LC50 > 0.39 mg/L (rat, 4 hr) (maximum attainable concentration)
<b>TOXICOLOGICAL INFORMATION ACUTE TOXICITY CHRONIC TOXICITY</b>	: <b>Sodium Metasilicate</b> LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse) No data were available regarding chronic exposure, reproductive or teratological effects, or carcinogenicity for sodium metasilicate.
<b>CARCINOGENICITY</b>	: This product is not classified as a carcinogen by NTP, IARC or OSHA.
<b>TOXICOLOGICAL INFORMATION</b>	: <b>Ethylenediamine Tetraacetate</b>

## SAFETY DATA SHEET

### SOIL BREAK

<b>ACUTE TOXICITY</b>	:	LD50 Oral (rat): 630 - 1,260 mg/kg,
<b>INHALATION LC50</b>	:	No data available
<b>DERMAL LD50</b>	:	No data available
<b>OTHER INFORMATION ON ACUTE TOXICITY</b>	:	No data available
<b>TOXICOLOGICAL INFORMATION</b>	:	<b>Sodium Xylene Sulfonate</b>
<b>ROUTES OF ENTRY</b>	:	Absorbed through skin and/or eye contact.
<b>ACUTE TOXICITY</b>	:	LD50 Oral (rat): 2500 mg/kg,
<b>CHRONIC EFFECTS ON HUMANS</b>	:	Contains material which may cause damage to the following organs: liver
<b>SPECIAL REMARKS ON TOXICITY TO ANIMALS</b>	:	TDL (rat): Route: skin; Dose: 3380 mg/kg/17D intermittent; Toxic effects: changes in liver weight TDL (rat): Route: skin; Dose: 35 gm/kg/14W intermittent; Toxic effects: dermatitis, other (skin and appendages). (Sodium Xylene Sulfonate).
<b>TOXICOLOGICAL INFORMATION</b>	:	<b>Nonylphenol, Ethoxylated 91-6</b>
<b>ACUTE TOXICITY</b>	:	LD50 Oral (rat): 1,378 mg/kg,
<b>INHALATION LC50</b>	:	No data available.
<b>DERMAL LD50</b>	:	LD50 Dermal (rat): > 5,000 mg/kg.
<b>PRIMARY SKIN IRRITATION</b>	:	(Rabbit) Moderate to severely irritating.
<b>PRIMARY EYE IRRITATION</b>	:	(Rabbit) Severely irritating.
<b>TOXICOLOGICAL INFORMATION</b>	:	<b>Protease Enzyme</b>
<b>ACUTE TOXICITY</b>	:	The toxicological properties of this material have not been fully investigated. Always follow Good Industrial Hygiene Practices and wear proper personal protective equipment when handling chemicals. May cause irritation and/or allergic reaction Routes of Exposure: Inhalation, ingestion, skin and eye contact.

#### SECTION 12 – ECOLOGICAL INFORMATION

<b>ECOLOGICAL INFORMATION</b>	:	<b>Dipropylene Glycol Methyl Ether</b>
<b>ECOTOXICITY (aquatic and terrestrial, where available):</b>	:	
<b>ACUTE FISH TOXICITY</b>	:	LC50 / 96 hours Fathead Minnow - >10,000 mg/L
<b>TOXICITY TO DAPHNIA</b>	:	EC50 / 48 hours Water flea - 1,919 mg/L
<b>PERSISTENCE AND DEGRADABILITY</b>	:	No data available.
<b>BIOACCUMULATIVE POTENTIAL</b>	:	No data available.
<b>ECOLOGICAL INFORMATION</b>	:	<b>Sodium Carbonate</b>
<b>ECOTOXICITY</b>	:	LC50 Fishes 1: 300mg/L, EC Daphnia: 265mg/L, LC50 Fishes 2: 740mg/L.
<b>PERSISTENCE and DEGRADABILITY</b>	:	No data available.
<b>BIOACCUMULATIVE POTENTIAL</b>	:	No data available.
<b>ECOLOGICAL INFORMATION</b>	:	<b>Sodium Tripolyphosphate</b>
<b>ECOTOXICITY</b>	:	Invertebrate: 48-hr LC50 Daphnia magna: > 1000 mg/L; Practically Nontoxic 96 hr. LC 50 > 100 mg/L, non-toxic (Rainbow trout, Inland silversides and mysid schrimp). [FMC I89-1081, 1082 & 1083] 48 hr. LC 50> 100 mg/L, non-toxic (Daphnia magna) [FMC I89-1084]
<b>PERSISTENCE and DEGRADABILITY</b>	:	No data available.
<b>ENVIRONMENTAL FATE</b>	:	Phosphates: Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no

# SAFETY DATA SHEET

## SOIL BREAK

adverse ecological risk.

<b>ECOLOGICAL INFORMATION</b>	:	<b>Sodium Metasilicate</b>
<b>ECOTOXICITY (Aquatic Toxicity)</b>	:	This material has exhibited moderate toxicity to aquatic organisms.
<b>BIODEGRADATION</b>	:	This material is inorganic and not subject to biodegradation.
<b>PERSISTENCE</b>	:	This material is believed to persist in the environment.
<b>BIOCONCENTRATION</b>	:	This material is not expected to bio-concentrate in organisms.
<b>ECOLOGICAL INFORMATION</b>	:	<b>Ethylenediamine Tetraacetate</b>
<b>ECOTOXICITY</b>	:	No data available.
<b>PERSISTENCE AND DEGRADABILITY</b>	:	No data available.
<b>BIOACCUMULATIVE POTENTIAL</b>	:	No data available.
<b>ECOLOGICAL INFORMATION</b>	:	<b>Sodium Xylene Sulfonate</b>
<b>ECOTOXICITY</b>	:	Not available
<b>BOD5 AND COD</b>	:	Not available
<b>PRODUCTS OF BIODEGRADATION</b>	:	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
<b>TOXICITY OF THE PRODUCTS OF BIODEGRADATION</b>	:	: The product itself and its products of degradation are not toxic.
<b>ECOLOGICAL INFORMATION</b>	:	<b>Ethoxylated Alcohol 91-6</b>
<b>ECOTOXICITY</b>	:	LC50 Rainbow Trout: 1-10 mg/l, 96hr. Value estimated from tests on similar products. LC50 Fathead Minow: 6 mg/l, 96hr. Value estimated from tests on similar products.
<b>BIODEGRADABILITY</b>	:	Readily biodegradable.
<b>PERSISTENCE AND DEGRADABILITY</b>	:	No data available.
<b>BIOACCUMULATIVE POTENTIAL</b>	:	No data available.
<b>ECOLOGICAL INFORMATION</b>	:	<b>Protease Enzyme</b>
<b>ECOTOXICITY</b>	:	No data available. No environmental hazard is known.
<b>PERSISTENCE AND DEGRADABILITY</b>	:	No data available.
<b>BIOACCUMULATIVE POTENTIAL</b>	:	No data available.

### SECTION 13 – DISPOSAL CONSIDERATIONS

<b>WASTE DISPOSAL</b>	:	This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.
-----------------------	---	--

### SECTION 14 – TRANSPORTATION INFORMATION

<b>DOT/IMDG/ IATA PROPER SHIPPING NAME</b>	:	Not Hazardous
<b>HAZARD CLASS AND LABEL</b>	:	Not Applicable.
<b>UN NUMBER</b>	:	Not Applicable.
<b>PACKAGING GROUP</b>	:	Not Applicable.
<b>EPA REPORTABLE QUANTITY</b>	:	Not Applicable.

# SAFETY DATA SHEET

## SOIL BREAK

(RQ)

MARINE POLLUTANT : Not listed.  
EMERGENCY RESPONSE GUIDE : Not Applicable.

### SECTION 15 – REGULATORY INFORMATION

**U.N. GHS CLASSIFICATION & LABELING INFORMATION:** See Section 2 for GHS Hazard Information

**U.S. FEDERAL REGULATORY INFORMATION:**

LISTED CARCINOGEN : Not listed.  
TSCA STATUS : The ingredients of this product are listed in TSCA inventory (40CFR 710.)  
SARA SECTION 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.  
SARA SECTION 312 : Chronic health hazard (Glycol Ether DPM).  
SARA SECTION 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.  
NFPA HEALTH : 2  
NFPA FLAMMABILITY : 0  
NFPA REACTIVITY : 0

**EUROPEAN UNION REGULATORY INFORMATION:**

EC CLASSIFICATION : Non Hazardous  
DSD/DPD RISK (R) PHRASES : R22: Harmful if swallowed.  
R36/38: Irritating to eyes and skin.  
DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.  
S24/25: Avoid contact with eyes and skin.  
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S36/S37/39: Wear suitable protective clothing, gloves and eye/face protection.  
S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.  
S61: Avoid release to the environment.  
S62: If swallowed, do not induce vomiting.  
S64: If swallowed, rinse mouth with water if victim is conscious.  
DSD/DPD HAZARD SYMBOL : Xi: Irritant



**CANADIAN REGULATORY INFORMATION:**

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC).  
DOMESTIC SUBSTANCES LIST (DSL) : Listed  
INGREDIENT DISCLOSURE LIST : Listed



### SECTION 16 – OTHER INFORMATION

**DISCLAIMER** : The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

# SAFETY DATA SHEET

## SOIL BREAK

<b>CERCLA</b>	: Comprehensive Environmental Response, Compensation, and Liability Act.
<b>EINECS</b>	: European Inventory of Existing Commercial Chemical Substances
<b>IMDG</b>	: International Maritime Code for Dangerous Goods
<b>IARC</b>	: International Agency for Research on Cancer
<b>IATA</b>	: International Air Transportation Association
<b>ACGIH</b>	: American Conference of Governmental Industrial Hygienists
<b>NFPA</b>	: National Fire Protection Association (USA)
<b>NTP</b>	: National Toxicology Program
<b>SARA</b>	: Superfund Amendments and Reauthorization Act
<b>TSCA</b>	: Toxic Substances Control Act
<b>HMIS</b>	: Hazardous Materials Identification System (USA)
<b>WHMIS</b>	: Workplace Hazardous Materials Information System
<b>LC50</b>	: Lethal concentration, 50 percent
<b>LD50</b>	: Lethal dose, 50 percent
<b>STOT</b>	: Systemic Target Organ Toxicity
<b>DATE PREPARED</b>	: JAN 12, 2015
<b>DATE REVISED</b>	: March 28, 2018