SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME	:	SPOTMASTER CSR
SYNONYMS	:	Product is a mixture: No synonyms are available.
PRODUCT USE	:	Moderately Acidic Material
SUPPLIER	:	HYDRAMASTER CORP.
SUPPLIER'S ADDRESS	:	1500 Industry St. Suite 300
		Everett, WA 98203 (425) 775-7272
EMERGENCY RESPONSE PHONE	:	PERS: 1-800-633-8253
NUMBER		

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTA GHS U.S. – CLASSIFICATION	NCE : :	OR MIXTURE H302 H315 H318	Harmful if swallowed Causes skin irritation Causes serious eye da	
LABEL ELEMENTS	:	GHS – US HA	AZARD PICTOGRAMS	The product is classified and labeled according to the Globally Harmonized System (GHS).
HAZARD PICTOGRAMS	:			
SIGNAL WORD	:	WARNING		
HAZARD STATEMENTS (GHS-US)	:		Not established	
	:	H302	Harmful if swallowed.	
	:	H318	Causes serious eye da	image.
PRECAUTIONARY STATEMENTS (GHS-US)	:	P101	If medical advice is n	eeded, have product container or label at hand.
	:	P102	Keep out of reach of	children.
	:	P103	Read label before us	-
	:	P260		'fume/gas/mist/vapors/spray.
	:	P264		minated clothing thoroughly after handling.
	:	P270		smoke when using this product.
	:	P280	face protection.	tive gloves / protective clothing / eye protection /
	:	P301+P312	•	a POISON CENTER or doctor/physician if you feel
	:	P302+P352	IF ON SKIN: Wash wit	th plenty of soap and water.
	:	P305+351+		tiously with water for several minutes. Remove
		P338	•	sent and easy to do. Continue rinsing.
	:	P332+P313		rs: Get medical advice/attention.
	:	P337+P313		sts: Get medical advice/attention.
	:	P501	national / internation	s/container in accordance with local /regional / nal regulations.
CLASSIFICATION SYSTEM	:	NFPA/HMIS [Definitions: 0-Least, 1-S	ilight, 2-Moderate, 3-High, 4-Extreme.
NFPA RATINGS (SCALE 0-4)			ire = 0, Reactivity = 0	-
HMIS RATINGS (SCALE 0-5)	:	Health = 2, Fi	ire = 0, Reactivity = 0	

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

: Mixture of the substances listed below with nonhazardous additions.

: Mixtures

CHEMICAL CHARACTERISTIC

DESCRIPTION

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Sodium Metabisulfite Anhydrous	> 80	7681-57-4	231-673-0	Acute Oral Toxicity Category 4 Eye Damage: Category 1
	SEC	TION 4 – FIRST	AID MEASURES	
DESCRIPTION OF FIRST AID ME	ASURES			
GENERAL	: Never give		mouth to an und e label where pos	conscious person. If you feel unwell, seel
EYE CONTACT	: Immediate least 15 m	ely wash in ar inutes. Eyelids	nd around the eye to be held apart.	e area with large amounts of water for a Remove clothing if contaminated and wasl ansport to hospital or medical center.
SKIN CONTACT	: Remove c water. De	ontaminated o layed skin dar	clothing and shoe	es. Wash affected skin area with soap and f product is not completely washed off. I
SWALLOWING (INGESTION)	: If ingested If vomiting	, dilute swallo goccurs sponta ver give anyth	wed material by d aneously, keep air	Irinking water. DO NOT INDUCE VOMITING way clear. Give more water when vomiting o an unconscious person. Get immediate
INHALATION	contamina comfortab advice if e	ited clothing a le position an ffects persist.	nd loosen remain d keep warm. Kee	e - avoid becoming a casualty. Remove ing clothing. Allow patient to assume most p at rest until fully recovered. Seek medica
OTHER INSTRUCTIONS			use corneal burns	n and special treatment needed: Treat s.
	SECTIC	N 5 – FIRE FIG	GHTING MEASURE	ES
EXTINGUISHING MEDIA				s involved in a fire use: Fine water spray dry chemical powder).
EXPLOSION HAZARDS	: Product is	not explosive		
REACTIVITY (FIRE)	fire, it car	release explo	-	sive vapors. If the product is involved in as. When heated to decomposition, emit
SPECIAL INSTRUCTIONS TO FIR	E FIGHTERS			
PRECAUTIONARY MEASURES	: Exercise ca	aution when fi	ghting any chemi	cal fire.
FIREFIGHTING INSTRUCTIONS	: Use water	spray or fog f	or cooling expose	d containers.
PROTECTION DURING	-	-	-	mes, including those of sulfur dioxide. Fir
FIREFIGHTING	-		tained breathing	apparatus and suitable protective clothin
		us source the second	al	
OTHER INFORMATION (FIRE)			oducts of decompo m firefighting to e	enter drains or water courses.

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT &	:	Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
EMERGENCY PROCEDURES ENVIRONMENTAL PROCEDURES	:	Keep spilled material away from sewage/drainage systems and waterways.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP	:	All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Cover with damp absorbent (inert material, sand, or soil). Sweep or vacuum up but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. Wash area down with excess water. Use care during clean-up to avoid exposure to the material and injury

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	: Handle in accordance with good industrial hygiene and safety procedur hands and other exposed areas with mild soap and water before eating, do smoking and again when leaving work. Do not eat, drink, or smoke when product. Wash hands and forearms thoroughly after handling.	inking, or
CONDITIONS FOR SAFE STORAGE	: Store in a dry, cool, and well-ventilated place. Keep container closed when r Keep/store away from extremely high or low temperatures, direct sunlight, incompatible materials (Strong acid, Strong oxidizers).	



from broken containers.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE) : The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT			USA OSHA PEL – TWA	USA ACGIH TWA	USA ACGIH – STEL
Sodium Metabisulfite Anhydrous			5 mg/m ³	Not Established	Not Established
EYE PROTECTION SKIN PROTECTION	:	Minimiz	emical splash goggles or fac e contact with product. We nd/or suitable long-sleeved (ear chemical resistant co	veralls, boots, gloves,
RESPIRATORY PROTECTION	:		of brief exposure use respira e, use respiratory protective	•	•
VENTILATION	:	Ensure a	dequate ventilation.		
ADDITIONAL MEASURES	:	-	ncy eyewash and safety sate work area.	hower facilities should	be available in the
REQUIRED WORK/HYGIENE	:		ands thoroughly after handli d. Do not eat, drink, or smok	• • •	ood stuffs, beverages,

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	: White free flowing powde	er
ODOR	: Mild odor	
ODOR THRESHOLD	: Not available	
РН	: 4-5 (10% solution)	

MELTING POINT/FREEZING	:	Not available
POINT		
BOILING POINT	:	Approx. 212° F.
FLASH POINT	:	Nonflammable, Noncombustible
EVAPORATION RATE	:	Not available
FLAMMABILITY	:	Nonflammable, Noncombustible
LOWER FLAMMABILITY LIMIT	:	Not available
UPPER FLAMMABILITY LIMIT	:	Not available
VAPOR PRESSURE	:	Not available
VAPOR DENSITY (AIR=1)	:	Not available
RELATIVE DESNITY	:	> 1.0
SOLUBILITY IN WATER	:	Soluble in water
PARTITION COEFFICIENT n-	:	Not available
OCTANOL/WATER		
AUTOIGNITION TEMPERATURE	:	Not available
DECOMPOSITION	:	Not available
TEMPERATURE		

SECTION 10 - STABILITY AND REACTIVITY

	Contact with acids generates toxic gases. Slowly oxidizes upon exposure to air and moisture. Direct sunlight. High temperatures.
INCOMPATIBLE MATERIALS :	Acids and oxidizing materials.
HAZARDOUS DECOMPOSITION : PRODUCTS	Sulfur dioxide.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION ACUTE ORAL TOXICITY INGESTION EYE CONTACT SKIN CONTACT	: LD5 : Swa : A se : Cor indi	lium Bisulfite Anhydrous 50 Oral (rat): 1540 mg/kg. allowing can result in nausea, vomiting, diarrhea, and abdominal pain. evere eye irritant. Contamination of eyes can result in permanent injury. ntact with skin may result in irritation. May cause skin sensitization in sensitive ividuals. Repeated or prolonged skin contact may lead to allergic contact matitis.
INHALATION		athing in dust may result in respiratory irritation. May cause respiratory sitization in sensitive individuals, producing asthma-like symptoms.
CHRONIC EFFECTS		lium metabisulfite can sensitise the respiratory tract of allergic persons.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION	:	Sodium Bisulfite Anhydrous
ECOTOXICITY TO FISH	:	96hr LC50 (fish): 150-220 mg/L (S. Gairdner)
NOTES	:	Avoid contaminating waterways.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL RECOMMENDATIONS	:	This product must be disposed of in accordance with Federal, state, and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from
ECOLOGY-WASTE MATERIALS	:	this product, should be classified as a hazardous waste. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER SHIPPING NAME	:	N/A
HAZARD CLASS AND LABEL	:	N/A
UN NUMBER	:	N/A
PACKAGING GROUP	:	N/A
EPA REPORTABLE QUANTITY	:	N/A
(RQ)		
MARINE POLLUTANT	:	Not Listed.
EMERGENCY RESPONSE	:	N/A
GUIDE		

SECTION 15 – REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN	:	Not listed			
TSC STATUS	:	The ingredients of this product are listed on TSCA (Toxic Substances Control Act) inventory (40CFR 710.)			
SARA SECTION 302	:	None			
SARA SECTION 311/312	:	Immediate (acute) health hazard.			
HAZARD CLASS					
SARA SECTION 313	:	Not Listed			
NFPA HEALTH	:	2			
NFPA FLAMMABILITY	:	0			
NFPA REACTIVITY	:	0			
EUROPEAN UNION REGULATORY INFORMATION:					
EC CLASSIFICATION	:	Xi: Irritant			
DSD/DPD RISK (R) PHRASES	:	R34: Causes severe burns.			
		R22: Harmful is swallowed.			
DSD/DPD SAFETY (S)	:	S1/2: Keep locked up and out of reach of children.			
PHRASES		S18: Handle and open containers with care.			
		S26: In case of contact with eyes, rinse immediately with plenty			
		of water and seek medical advice.			
		S36/S37/39: Wear suitable protective clothing, gloves and			
		eye/face protection.			
		S45: In case of accidents or if you feel unwell, seek medical			
		advice immediately. Show label where possible.			
		S61: Avoid release to the environment.			
		S64: If swallowed, rinse mouth with water if victim is conscious.			
DSD/DPD HAZARD SYMBOL	:	Xi: Irritant			

CANADIAN REGULATORY INFORMATION

WHMIS CATEGORY	:	Class D2B: Materials that cause other toxic effects (TOXIC).
----------------	---	--

DOMESTIC SUBSTANCES LIST : Listed (DSL)



INGREDIENT DISCLOSURE LIST : Listed, this product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the sds contains all the information required by the CPR.

SECTION 16 – OTHER INFORMATION

DISCLAIMER	:	The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.
CERCLA	:	Comprehensive Environmental Response, Compensation, and Liability Act.
EINECS	:	European Inventory of Existing Commercial Chemical Substances
IMDG	:	International Maritime Code for Dangerous Goods
IARC	:	International Agency for Research on Cancer
ΙΑΤΑ	:	International Air Transportation Association
ACGIH	:	American Conference of Governmental Industrial Hygienists
NFPA	:	National Fire Protection Association (USA)
NTP	:	National Toxicology Program
SARA	:	Superfund Amendments and Reauthorization Act
TSCA	:	Toxic Substances Control Act
HMIS	:	Hazardous Materials Identification System (USA)
WHMIS	:	Workplace Hazardous Materials Information System
LC50	:	Lethal concentration, 50 percent
LD50	:	Lethal dose, 50 percent
STOT	:	Systemic Target Organ Toxicity
DATE PREPARED	:	MAR 1, 2018
DATE REVISED	:	NOV 7, 2022